

AS ISO 22915.21:2021
ISO 22915-21:2019



Industrial trucks — Verification of stability

**Part 21: Order-picking trucks with operator position elevating
above 1 200 mm**



AS ISO 22915.21:2021

This Australian Standard® was prepared by ME-026, Industrial Trucks. It was approved on behalf of the Council of Standards Australia on 15 April 2021.

This Standard was published on 7 May 2021.

The following are represented on Committee ME-026:

- Australian Forklift and Industrial Truck Association
- Australian Industry Group
- Australian Institute of Health and Safety
- Better Regulation Division (Fair Trading, Safework NSW, Testsafe)
- Construction and Mining Equipment Industry Group
- Hire and Rental Industry Association of Australia
- National Road Transport Association
- Telescopic Handler Association of Australia
- Victorian WorkCover Authority (WorkSafe Victoria)

This Standard was issued in draft form for comment as DR AS ISO 22915.21:2021.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76113 295 7

Industrial trucks — Verification of stability

Part 21: Order-picking trucks with operator position elevating above 1 200 mm

Originated as part of AS B270—1968.
Revised and redesignated AS 2359.1—1980.
Revised in part as AS 2359.1—1995.
Revised and redesignated in part as AS ISO 22915.21:2015.
Second edition 2021.

COPYRIGHT

© ISO 2021 — All rights reserved
© Standards Australia Limited 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee ME-026, Industrial Trucks, to supersede AS ISO 22915.21:2015.

The objective of this document is to specify the tests for verifying the stability of order picking trucks with an elevating operator position, as defined in AS ISO 5053.1, where the operator's position can be raised to an elevation above 1 200 mm.

This document is applicable to industrial trucks fitted with fork arms, platforms and/or integrated attachments under normal operating conditions.

This document is not applicable to trucks fitted with a load carrier that can be shifted laterally or pivoted out of the truck's longitudinal centre plane.

This document is identical with, and has been reproduced from, ISO 22915-21:2019, *Industrial trucks — Verification of stability — Part 21: Order-picking trucks with operator position elevating above 1 200 mm*.

As this document has been reproduced from an International Standard, a full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Test conditions	2
4.1 General	2
4.2 Position of the truck on the tilt table	2
4.2.1 Load and drive/steer axles	2
4.2.2 Tests 1	2
4.2.3 Tests 2, 3, 4 and 5	2
4.3 Lift height	3
5 Verification of stability	3
Bibliography	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 110, *Industrial trucks*, Subcommittee SC 2, *Safety of powered industrial trucks*.

This second edition cancels and replaces the first edition (ISO 22915-21:2009), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the wording of [4.2.3](#) is revised editorially for better comprehensibility;
- an additional stability test for creep speed is added to [Table 1](#), tests 3 and 4;
- the explanatory note to the maximum travel speed is adapted to the state of the art;
- several drawings in [Table 1](#) are redrawn for better comprehensibility.

A list of all parts in the ISO 22915- series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Australian Standard®

Industrial trucks — Verification of stability

Part 21: Order-picking trucks with operator position elevating above 1 200 mm

1 Scope

This document specifies the tests for verifying the stability of order picking trucks with an elevating operator position, as defined in ISO 5053-1, where the operator's position can be raised to an elevation above 1 200 mm.

It is applicable to industrial trucks fitted with fork arms, platforms and/or integrated attachments under normal operating conditions.

It is not applicable to trucks fitted with a load carrier that can be shifted laterally or pivoted out of the truck's longitudinal centre plane.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5053-1, *Industrial trucks — Terminology and classification — Part 1: Types of industrial trucks*

ISO 22915-1, *Industrial trucks — Verification of stability — Part 1: General*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5053-1 and ISO 22915-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <http://www.electropedia.org/>

3.1

normal operating conditions

operating conditions corresponding to the truck travelling indoors on smooth, level floors of sufficient strength such as those of concrete

Note 1 to entry: This definition is different from the one given for normal operating conditions in ISO 22915-1.

3.2

guided steering

steering mode, either mechanical (e.g. guidance rails) or non-mechanical (e.g. inductive guidance, laser sensor or infrared) not controlled directly by the operator, used to steer the truck on a predetermined straight path while travelling

3.3

restricted steering

operation under which the truck's steering is controlled by the operator and the steering angle is limited to not more than 10° from the forward or reverse travel direction

3.4

unrestricted steering

steering mode controlled by the operator with no limitation of the steering angle