



CGA V-9 — 2024

9TH EDITION

**COMPRESSED GAS
ASSOCIATION
STANDARD FOR
COMPRESSED GAS
CYLINDER VALVES**



PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 22-026
Cylinder Valve Committee

NOTE—Technical changes from the previous edition are underlined.

NOTE—Appendices A, B, and C (Informative) are for information only.

NINTH EDITION: 2024
EIGHTH EDITION: 2019
SEVENTH EDITION: 2012
SIXTH EDITION: 2009

© 2024 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 8484 Westpark Drive, Suite 220, McLean VA 22102. You may not alter or remove any trademark, copyright or other notice from this work.

Contents	Page
1 Introduction.....	1
2 Scope	1
3 Definitions.....	2
4 Design considerations and requirements	8
4.1 Valve connection	8
4.2 Materials	9
4.3 Markings	11
4.4 Pressure relief devices	12
4.5 Specific valves.....	12
4.6 Other valve components/devices	13
4.7 Residual pressure valve fill adapters.....	14
5 Valve types and descriptions.....	14
5.1 Packed valves	14
5.2 Pressure seal valves	14
5.3 O-ring valves	15
5.4 Diaphragm valves.....	15
5.5 Post-type medical valves.....	15
5.6 Reverse seated valves	16
5.7 Remotely operated valves	16
5.8 Quick-release cylinder valves.....	16
5.9 Self-closing cylinder valves	17
5.10 Additional valve types.....	17
6 Valve qualification and documentation.....	18
6.1 General.....	18
6.2 Documentation	19
6.3 Valve qualification test procedure.....	19
7 Valve qualification tests.....	20
7.1 Performance and qualifying tests	20
7.2 Conditional qualifying tests.....	23
8 Production requirements	24
8.1 Materials	24
8.2 Cleaning	24
8.3 Testing of production valves.....	24
9 Maintenance.....	25
9.1 Inspection—General requirements.....	25
9.2 Inspection procedure.....	26
10 Cylinder valve protection caps	29
10.1 Introduction.....	29
10.2 General information.....	29
10.3 Cylinder valve protection cap design.....	29
10.4 Material selection.....	29
10.5 Testing.....	30
10.6 Markings.....	30
10.7 Valve protection other than cylinder valve protection caps	30
11 References	30
12 Additional references.....	32

Tables

Table 1—Sequence of tests for valve qualification	20
Table 2—Test pressures for tightness tests.....	22
Table 3—Production valve test pressures	25

Appendices

Appendix A—Valve selection guidelines (Informative).....	33
Appendix B—Checklist of DOs and DO NOTs relative to valve use and abuse (Informative).....	34
Appendix C—Compressed gas cylinder valve figures (Informative)	36

Appendices Figures

Figure C-1—Packed valve: Example 1	36
Figure C-2—Packed valve: Example 2	36
Figure C-3—Pressure seal valve	37
Figure C-4—O-ring valve	37
Figure C-5—Diaphragm packless valve.....	38
Figure C-6—Tied diaphragm valve	38
Figure C-7—Post-type medical valve.....	39
Figure C-8—Reverse seated valve	40
Figure C-9—Impact testing	40

1 Introduction

The Compressed Gas Association, Inc. (CGA) has long recognized the need to promote public safety in the use of cylinder valves. This standard defines factors that contribute to the safe design, manufacture, and use of cylinder valves for compressed gases.

Compressed gases supplied in cylinders are diverse in their chemical composition and properties. Some are oxidizers, some are flammables, some are inert, etc. Gases vary in degrees of corrosivity, toxicity, and pressure and exist not only in the pure state but also in a variety of mixtures. Thus, it is a primary safety requirement of the cylinder valve that it is designed and tested for its intended use.

2 Scope

This standard covers cylinder valve design, manufacture, and use including performance requirements such as operating temperature limits, pressure ranges, and flow capabilities. It also includes requirements such as materials, inlet and outlet connections, cleaning, qualification and production testing, maintenance, and reconditioning. This standard also includes guidelines and requirements for the design, material selection, testing, and marking of cylinder valve protection caps. Except as noted in the last paragraph of this section, this standard is intended for valves for compressed gases packaged in U.S. Department of Transportation (DOT) and Transport Canada (TC) cylinders.

This standard provides information on valve selection, valve use guidelines, and valve protection caps (see Appendix A, Appendix B, and Section 10, respectively).

This standard does not prejudice the continued use of valves in service or in inventory at a manufacturer's or user's site that were manufactured before the effective date of this standard provided the valves are identifiable to the original valve manufacturer and traceable to a manufacturing period. The identifying marks shall be permanent and visible on an installed valve.

The effective date of this standard is three years from the date of the publication of this edition, which was April 23, 2024. Valves manufactured on and after the effective date of this standard shall be in compliance with this standard.

This standard does not prohibit the use of valves that are Listed.

The following valves shall meet the requirements of ISO 10297, *Gas cylinders—Cylinder valves—Specification and type testing* as well as the additional requirements given in this standard [1]:¹

- cylinder valves intended to be fitted to refillable transportable gas cylinders;
- main valves (excluding ball valves) for cylinder bundles;
- cylinder valves or main valves with an integrated pressure regulator (VIPR) for nonmedical purposes;
- cylinder valves for pressure drums; and
- cylinder valves for tubes (excluding ball valves) not mounted to a chassis or framework.

The following valves shall meet the requirements of ISO 17879, *Gas Cylinders—Self closing cylinder valves—Specifications and type testing* as well as the applicable additional requirements given in this standard [2]:

- Self-closing cylinder valves intended to be fitted to refillable transportable gas cylinders; and
- Self-closing cylinder valves with a VIPR for nonmedical purposes.

¹ References are shown by bracketed numbers and are listed in order of appearance in the reference section.