



ATIS-0700010.v004

ATIS Standard on -

**Wireless Emergency Alert (WEA) 3.0 via EPS Public Warning
System Specification**



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF NOR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to <https://www.atis.org/policy/patent-assurances/> to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2022 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

Wireless Emergency Alert (WEA) 3.0 via EPS Public Warning System Specification

Alliance for Telecommunications Industry Solutions

Approved April 6, 2022

Abstract

This Standard describes the use of the Evolved Packet System (EPS) Public Warning System (PWS) for the broadcast of Wireless Emergency Alert (WEA) 3.0 messages and includes the mapping of WEA 3.0 application level messages to the Cell Broadcast Center (CBC) message structure as used within the EPS.

Foreword

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Wireless Technologies and Systems Committee (WTSC) develops and recommends standards and technical reports related to wireless and/or mobile services and systems, including service descriptions and wireless technologies. WTSC develops and recommends positions on related subjects under consideration in other North American, regional, and international standards bodies.

The mandatory requirements are designated by the word shall and recommendations by the word should. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages. The word may denotes an optional capability that could augment the standard. The standard is fully functional without the incorporation of this optional capability.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, WTSC 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of consensus on this document, WTSC, which was responsible for its development, had the following leadership:

- M. Younge, WTSC Chair (T-Mobile US)
- T. Brooks, WTSC SN Chair (T-Mobile US)
- P. Musgrove, WTSC SN Vice Chair (AT&T)
- P. Sanders, Technical Editor (one2many)

The WTSC Systems & Networks (SN) Subcommittee was responsible for the development of this document.

Table of Contents

| | |
|---|----|
| Preface | 1 |
| 1 Scope, Purpose, & Application | 1 |
| 1.1 Scope..... | 1 |
| 1.2 Purpose | 1 |
| 1.3 Application | 1 |
| 2 Normative References | 2 |
| 3 Definitions, Acronyms, & Abbreviations | 3 |
| 3.1 Definitions | 3 |
| 3.2 Acronyms & Abbreviations..... | 4 |
| 4 Requirements | 4 |
| 4.1 General WEA Requirements | 5 |
| 4.2 Cell Broadcast Center (CBC) Requirements | 5 |
| 4.3 CMSP Gateway Requirements | 6 |
| 4.3.1 <i>Message Coding</i> | 7 |
| 4.3.2 <i>URL Coding</i> | 7 |
| 4.4 UE Requirements | 7 |
| 4.5 CBC to MME Requirements | 8 |
| 4.6 Lawful Interception Requirements | 8 |
| 5 Functional Architecture and Interfaces | 8 |
| 5.1 CBC to MME Interface..... | 9 |
| 5.2 CMSP Gateway to CBC Interface..... | 9 |
| 6 WEA Call Flows | 9 |
| 6.1 New WEA Alert Message Call Flow..... | 10 |
| 6.2 Cancelled WEA Alert Message Call Flow..... | 12 |
| 6.3 Updated WEA Alert Message Call Flow | 14 |
| 6.4 Invalid WEA Alert Message Call Flow | 14 |
| 6.5 Transmission Control Message Call Flows..... | 15 |
| 6.5.1 <i>Cease Transmissions Call Flow</i> | 16 |
| 6.5.2 <i>Resume Transmissions Call Flow</i> | 16 |
| 7 Warning Message Delivery for WEA Application | 17 |
| 7.1 WEA Interfaces..... | 18 |
| 7.2 Warning Message Delivery Service & WEA | 18 |
| 7.3 Overview of WEA Element Mapping..... | 19 |
| 7.4 Mapping of CBEM Elements from CMAC Elements..... | 20 |
| 7.5 Mapping of WEA Message and WHAM to WRITE-REPLACE WARNING REQUEST Indication | |
| 21 | |
| 7.5.1 <i>Message Type</i> | 23 |
| 7.5.2 <i>Message Identifier</i> | 23 |
| 7.5.3 <i>Serial Number</i> | 26 |
| 7.5.4 <i>List of Tracking Area IDs</i> | 26 |
| 7.5.5 <i>Warning Area List</i> | 26 |
| 7.5.6 <i>Repetition Period</i> | 27 |
| 7.5.7 <i>Number of Broadcasts Requested</i> | 27 |
| 7.5.8 <i>Data Coding Scheme</i> | 27 |
| 7.5.9 <i>Warning Message Contents</i> | 27 |
| 7.5.10 <i>OMC ID</i> | 27 |

7.5.11 Concurrent Warning Message Indicator 27
 7.5.12 Warning Area Coordinates..... 28
 7.6 Mapping of WEA Message and WHAM to STOP WARNING REQUEST Message.....28

Table of Figures

Figure 5.1: Warning System Architecture for WEA..... 8
 Figure 6.1: WEA Reference Diagram for EPS Public Warning System 9
 Figure 6.2: New WEA Alert Message Call Flow..... 11
 Figure 6.3: Cancelled WEA Alert Message Call Flow 13
 Figure 6.4: Invalid WEA Alert Message Call Flow 15
 Figure 6.5: Cease Transmissions Call Flow 16
 Figure 6.6: Resume Transmissions Call Flow 17
 Figure 7.1: WEA Message Relationship 18

Table of Tables

Table 7.1: Element Mapping from CMAC to CBEM to Mobile Device 19
 Table 7.2: Mapping of CBEM Elements from CMAC Elements 20
 Table 7.3: Mapping CBEM Elements to WRITE-REPLACE WARNING REQUEST Parameters
 (Informative) 21
 Table 7.4: Message Identifiers for English Language WEA Imminent Threat Alerts..... 24
 Table 7.5: Message Identifiers for Additional Language WEA Imminent Threat Alerts..... 25
 Table 7.6: Mapping of CBEM Elements to STOP WARNING REQUEST Message Parameters
 (Informative) 28

ATIS Standard on –

Wireless Emergency Alert (WEA) 3.0 via EPS Public Warning System Specification

Preface

The authority-to-individual emergency alerting capability to mobile devices was originally called Commercial Mobile Alert System (CMAS) in the first three Reports & Orders from the Federal Communications Commission (FCC). This standard was originally developed based upon the CMAS terminology and CMAS was operational in April 2012. However, in February 2013, the FCC renamed CMAS to Wireless Emergency Alert (WEA) with associated updates to the appropriate sections of Part 11 of the 47 CFR. Subsequently, the FCC has issued additional enhancements and rules for this government-to-individual emergency alerting capability to mobile devices and these are identified as modifications to WEA.

Consequently, this specification may use both the term CMAS and the term WEA. These terms should be considered as equivalent terms with WEA being the preferred term.

This ATIS specification is the WEA 3.0 standard for the WEA via Evolved Packet System (EPS) Public Warning System (PWS) and is based upon the cumulative WEA enhancements identified up through the January 2018 FCC Second Report & Order and Second Order on Reconsideration, FCC 18-4 [Ref 22]. The use of the term WEA in this specification refers to WEA 3.0, unless otherwise specifically indicated.

The regulatory background is described in detail in the Service Description in ATIS-0700035 [Ref 19].

1 Scope, Purpose, & Application

1.1 Scope

The scope of this standard is the support of WEA 3.0 via the EPS PWS. This standard covers the mapping of WEA 3.0 messages onto the 3rd Generation Partnership Project (3GPP)-defined PWS message structure within the EPS.

This standard is not intended to describe an overall end-to-end WEA 3.0 architecture, but includes clarifications that may be lacking in existing 3GPP specifications.

The WEA 3.0 interface with the Federal network and the mobile device behavior upon reception of a WEA 3.0 alert are specified in separate standards [Ref 9 & 10].

NOTE: ATIS-0700036, *Wireless Emergency Alert (WEA) 3.0 Mobile Device Behavior (MDB) Specification* [Ref 9], also supports the WEA 3.0 functionality of this Standard even though this access technology is not explicitly referenced in the WEA 3.0 MDB specification.

1.2 Purpose

The purpose of this standard is to describe the use of the EPS PWS for the delivery of WEA 3.0 messages. The standard includes the mapping of WEA 3.0 application level messages to the Cell Broadcast Center (CBC) message structure as used within the EPS.

1.3 Application

This standard is applicable to the mapping of WEA 3.0 messages to the Warning Message Delivery service on EPS.