



ATIS-0500046

**Analysis of Non-IP Call Authentication
Mechanisms in Support of Emergency Services**

TECHNICAL REPORT



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<http://www.atis.org/legal/patentinfo.asp>] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

ATIS-0500046, *Analysis of Non-IP Call Authentication Mechanisms in Support of Emergency Services*

Published by

**Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005**

Copyright © 2022 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

Analysis of Non-IP Call Authentication Mechanisms in Support of Emergency Services

Alliance for Telecommunications Industry Solutions

Approved March 28, 2022

Abstract

This Technical Report analyzes non-Internet Protocol (IP) call authentication mechanisms to determine their applicability to the handling of 9-1-1 calls in the context of Enhanced 9-1-1 (E9-1-1) and transitional Next Generation 9-1-1 (NG9-1-1) architectures.

Foreword

As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global information and communications technology (ICT) companies to advance the industry's most-pressing business priorities. ATIS serves the public through improved understanding between carriers, customers, and manufacturers.

The Emergency Services Interconnection Forum (ESIF) provides a forum to facilitate the identification and resolution of technical and/or operational issues related to the interconnection of wireline, wireless, cable, satellites, Internet and emergency services networks.

The ESIF Next Generation Emergency Services (NGES) Subcommittee coordinates emergency services needs and issues with and among SDOs and industry forums/committees, within and outside ATIS, and develops emergency services (such as E9-1-1) standards, and other documentation related to advanced (i.e., Next Generation) emergency services architectures, functions, and interfaces for communications networks.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, WTSC, 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of initiation or issuance of the letter ballot for this document, the committees responsible for its development had the following leadership:

- D. Morkunas, ESIF 1st Vice Chair (Intrado)
- J. Torres, ESIF 1st Vice Chair (Verizon Wireless)
- B. Abley, ESIF 2nd Vice Chair (NENA)
- T. Reese, ESIF NGES Co-Chair (Ericsson)
- E. Amoah, ESIF NGES Co-Chair (Verizon Wireless)

The **NGES** Subcommittee was responsible for the development of this document.

Table of Contents

1	SCOPE, PURPOSE, & APPLICATION	1
1.1	SCOPE.....	1
1.2	PURPOSE.....	1
1.3	APPLICATION.....	1
2	REFERENCES.....	1
3	DEFINITIONS, ACRONYMS, & ABBREVIATIONS.....	2
3.1	DEFINITIONS.....	2
3.2	ACRONYMS & ABBREVIATIONS	2
4	DESCRIPTION OF NON-IP CALL AUTHENTICATION SOLUTIONS	5
4.1	SHAKEN OOB PASSPORT TRANSMISSION INVOLVING TDM NETWORKS.....	5
4.2	EXTENDING STIR/SHAKEN OVER TDM	9
4.3	PASSPORT ENCODED IN ISUP USER-TO-USER INFORMATION (UUI) PARAMETER.....	12
5	DESCRIPTION OF EMERGENCY SERVICES ARCHITECTURES	13
5.1	E9-1-1 ARCHITECTURES.....	13
5.2	I2/PRE-I2 ARCHITECTURES	16
5.3	TRANSITIONAL NG9-1-1 ARCHITECTURE	17
5.3.1	<i>Transitional Architectures that Include Legacy Network Gateways</i>	<i>17</i>
5.3.2	<i>Transitional NG9-1-1 Architectures the Include Legacy PSAP Gateways</i>	<i>18</i>
5.3.3	<i>Transitional NG9-1-1 Architectures that Include Legacy Selective Router Gateways</i>	<i>19</i>
5.3.4	<i>Interconnection of IMS Originating Networks and Legacy Selective Routers</i>	<i>22</i>
6	APPLICATION OF ALTERNATIVE NON-IP CALLER AUTHENTICATION SOLUTIONS TO LEGACY AND TRANSITIONAL 9-1-1 ARCHITECTURES.....	24
6.1	CALL AUTHENTICATION IN AN E9-1-1 ENVIRONMENT	24
6.2	CALL AUTHENTICATION IN AN I2/PRE-I2 ENVIRONMENT.....	26
6.3	CALL AUTHENTICATION IN TRANSITIONAL NG9-1-1 ARCHITECTURES INVOLVING LEGACY NETWORK GATEWAYS 27	
6.4	CALL AUTHENTICATION IN TRANSITIONAL NG9-1-1 ARCHITECTURES INVOLVING LEGACY PSAP GATEWAYS ...	28
6.5	CALL AUTHENTICATION IN TRANSITIONAL NG9-1-1 ARCHITECTURES INVOLVING LEGACY SELECTIVE ROUTER GATEWAYS	29
6.5.1	<i>Call Authentication at an Ingress LSRG</i>	<i>29</i>
6.5.2	<i>Call Authentication at an Egress LSRG.....</i>	<i>30</i>
6.6	CONVEYANCE OF CALLER AUTHENTICATION INFORMATION BETWEEN AN IMS ORIGINATING NETWORK AND A LEGACY SR	30
7	CONVEYANCE OF CALL AUTHENTICATION INFORMATION VIA THE ALI INTERFACE.....	32
7.1	PROPOSED FORMATS FOR CALL AUTHENTICATION INFORMATION IN ALI DATA.....	32
8	CONCLUSION	33

Table of Figures

FIGURE 4.1:	END-TO-END TDM.....	6
FIGURE 4.2:	SIP ORIGINATING NETWORK, TDM TERMINATING NETWORK, SIP AND TDM TRANSIT NETWORKS	7
FIGURE 4.3:	TDM ORIGINATING NETWORK, SIP TERMINATING NETWORK, TDM AND SIP TRANSIT NETWORKS	8
FIGURE 4.4:	TDM INTERCONNECT TOPOLOGY	9
FIGURE 4.5:	TDM TERMINATION TOPOLOGY	11
FIGURE 4.6:	TDM ORIGATION TOPOLOGY	11
FIGURE 5.1:	E9-1-1 ARCHITECTURE FOR WIRELINE EMERGENCY CALLS	14
FIGURE 5.2:	WIRELESS E9-1-1 – NCAS APPROACH	15
FIGURE 5.3:	WIRELESS E9-1-1 – WIRELINE COMPATIBILITY MODE.....	16
FIGURE 5.4:	I2/PRE-I2 VoIP 9-1-1 ARCHITECTURE	16

ATIS-0500046

FIGURE 5.5: TRANSITIONAL NG9-1-1 ARCHITECTURE WITH LNG 18
FIGURE 5.6: TRANSITIONAL NG9-1-1 ARCHITECTURE WITH LPG 19

ATIS Standard on –

Analysis of Non-IP Call Authentication Mechanisms in Support of Emergency Services

1 Scope, Purpose, & Application

1.1 Scope

Regulators and industry stakeholders initially focused on supporting caller identity authentication and verification for calls carried over Internet Protocol (IP) networks using the Session Initiation Protocol (SIP) to address concerns related to robocalling and illegitimate caller identity spoofing. Caller authentication techniques, such as those described in ATIS standards related to Signature-based Handling of Asserted Information Using toKENs (SHAKEN) and IETF RFCs related to Secure Telephone Identity Revisited (STIR), have been developed to allow calls traveling through interconnected IP-based carrier networks to have the legitimacy of the caller's identity evaluated by the originating carrier and validated by the terminating carrier, facilitating the delivery of an indication of the legitimacy of the caller identity information to the called party. The ATIS Non-IP Call Authentication Task Force has defined call authentication mechanisms that will operate in the non-IP portions of voice service provider networks that may be useful in supporting the Second Report and Order [Ref 1] adopted and released by the Federal Communications Commission (FCC) on October 1, 2020.

This Technical Report discusses call authentication in the context of emergency services offered using legacy Enhanced 9-1-1 (E9-1-1) and transitional Next Generation 9-1-1 (NG9-1-1) architectures. It considers non-IP call authentication mechanisms that are being defined in a non-emergency context by the industry and discusses the impacts of call authentication on the processing of 9-1-1 calls.

1.2 Purpose

This Technical Report provides an analysis of the applicability of non-IP call authentication mechanisms being considered by the industry to legacy E9-1-1 and transitional NG9-1-1 architectures.

1.3 Application

This Technical Report applies to emergency (9-1-1) calls that originate in legacy networks and are routed via legacy Selective Routers (SRs) to legacy Public Safety Answering Points (PSAPs), as well as emergency (9-1-1) calls that originate in legacy networks and are routed via NG9-1-1 Emergency Services Networks to legacy or NG PSAPs. In addition, this Technical Report applies to emergency (9-1-1) calls that originate in IP Multimedia Subsystem (IMS) networks in North America and are routed via legacy SRs to legacy PSAPs, and emergency (9-1-1) calls that originate in IMS networks and are routed via NG9-1-1 networks to legacy PSAPs.

2 References

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

- [Ref 1] Federal Communications Commission. *Second Report and Order In the Matter of Call Authentication Trust Anchor* (WC Docket 17-97). FCC 20-136.¹
- [Ref 2] ATIS-1000096, *Signature-Based Handling of Asserted Information Using Tokens (SHAKEN): Out-of-Band PASSporT Transmission Involving TDM Networks*.²
- [Ref 3] draft-ietf-stir-servprovider-oob-01, *Out-of-Band STIR for Service Providers*.³
- [Ref 4] ATIS-1000095, *Extending STIR/SHAKEN over TDM*.²
- [Ref 5] ATIS-1000679, *Interworking Between Session Initiation Protocol (SIP) and ISDN User Part*.²

¹ This document is available from the Federal Communications Commission (FCC) at: < <http://www.fcc.gov/> >.

² This document is available from the Alliance for Telecommunications Industry Solutions (ATIS) at: < <https://www.atis.org/> >.

³ This document is available from the Internet Engineering Task Force (IETF) at: < http://www.ietf.org >.