



ATIS-0700031

ATIS Standard on -

**Location and Routing Support for Non-Operator-
Managed Over the Top (OTT) Citizen-to-Authority
Emergency Services**



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of and major U.S. contributor to the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<http://www.atis.org/legal/patentinfo.asp>] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2017 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

ATIS-0700031

ATIS Standard

Location and Routing Support for Non-Operator-Managed OTT Citizen-to-Authority Emergency Services

Alliance for Telecommunications Industry Solutions

Approved February 9, 2017

Abstract

This document defines technical methods in the case of an Operator-managed interconnected VoIP or Text Messaging over IP (ToIP) service by which location information can be acquired and conveyed for routing VoIP emergency calls or ToIP emergency sessions and made available for presentation to the appropriate Public Safety Answering Point (PSAP) for dispatch purposes. The standard also defines technical methods by which an operator of a user access network can acquire and convey location for an Over The Top VoIP emergency call or ToIP emergency session.

Foreword

As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global information and communications technology (ICT) companies to advance the industry's most pressing business priorities. ATIS serves the public through improved understanding between carriers, customers, and manufacturers.

This standard was developed jointly between ESIF, PTSC, and WTSC.

The Emergency Services Interconnection Forum (ESIF) provides a forum to facilitate the identification and resolution of technical and/or operational issues related to the interconnection of wireline, wireless, cable, satellites, Internet, and emergency services networks.

The Packet Technologies and Systems Committee (PTSC) develops and recommends standards and technical reports related to services, architectures, and signaling, in addition to related subjects under consideration in other North American and international standards bodies. PTSC coordinates and develops standards and technical reports relevant to telecommunications networks in the U.S., reviews and prepares contributions on such matters for submission to U.S. ITU-T and U.S. ITU-R Study Groups or other standards organizations, and reviews for acceptability or per contra the positions of other countries in related standards development and takes or recommends appropriate actions.

The Wireless Technologies and Systems Committee (WTSC) develops and recommends standards and technical reports related to wireless and/or mobile services and systems, including service descriptions and wireless technologies. WTSC develops and recommends positions on related subjects under consideration in other North American, regional, and international standards bodies.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, WTSC, 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of initiation or issuance of the letter ballot for this document, the committees responsible for its development had the following leadership:

- S. Sherwood, ESIF Chair (Verizon)
- R. Hixon, ESIF First Vice-Chair (NENA)
- R. Marshall, ESIF Second Vice-Chair (Comtech)

- M. Dolly, PTSC Chair (AT&T)
- V. Shaikh, PTSC Vice-Chair (Applied Communication Sciences)

- D. Zelmer, WTSC Chair (AT&T)
- M. Younge, WTSC Vice-Chair (T-Mobile)

- Farrokh Khatibi, Technical Editor (Qualcomm)

The IP Multimedia Subsystem (IMS) Emergency Procedures for IMS Origination and Emergency Services IP Network (ESInet) (IMSESINET) joint project group was responsible for the development of this document.

Table of Contents

1	SCOPE	1
2	NORMATIVE REFERENCES	1
3	INFORMATIVE REFERENCES	2
4	DEFINITIONS, ACRONYMS, & ABBREVIATIONS	2
4.1	DEFINITIONS	2
4.2	ACRONYMS & ABBREVIATIONS	2
5	INTRODUCTION	4
6	ASSUMPTIONS	5
6.1	UE/USER	5
6.2	OTT SP	5
6.3	ACCESS NETWORK OPERATOR	6
7	ARCHITECTURE & STAGE 2 CALL FLOWS	6
7.1	ALTERNATIVES S1 & S2 DISCUSSION	7
7.1.1	High Level Analysis of Alternatives S1 & S2	8
7.2	ALTERNATIVES S3, S3A, & S3B DISCUSSION	8
7.2.1	High Level Analysis of Alternatives S3, S3a, & S3b	8
7.3	SOLUTION ALTERNATIVES S1 & S2	9
7.3.1	Summary	9
7.3.2	Limitations on Supporting Location & Routing	9
7.3.3	Alternatives S1 & S2 with Enhanced LbyR Support	11
7.3.4	Alternatives S1 & S2 with Enhanced IMS Support	12
7.3.5	Call Flow for Alternative S1 with Enhanced LbyR Support	15
7.3.6	Call Flow for Alternative S1 with Enhanced IMS LRF Support	18
8	SECURITY & PRIVACY	22
8.1	SECURITY & PRIVACY ASSUMPTIONS	22
8.2	THREAT SCENARIOS	22
8.2.1	Distributed Denial of Service (DDoS)	22
8.2.2	False Emergency Location Request (not real emergency)	22
8.2.3	Fake Location Reporting	22
8.3	SECURITY & PRIVACY SOLUTIONS	23
9	CONCLUSIONS	23
ANNEX A: USE CASES		24
A.1	HIGH LEVEL USE CASES	24
A.1.1	OTT User Identity Use Cases	24
A.1.2	OTT Functional Architecture Use Cases	26
A.1	DETAILED USE CASES	37
A.2.1	High Level Architecture Diagram	37
A.2.2	User Case Descriptions	38

Table of Figures

FIGURE 5.1	– OVERALL ARCHITECTURE	5
FIGURE 7.1	– ARCHITECTURE FOR EMERGENCY SERVICES OVER AN OTT SP SHOWING ALTERNATIVE LOCATION	6
FIGURE 7.2	– ARCHITECTURE FOR LBYR SUPPORT FOR EMERGENCY SERVICES OVER AN OTT SP	11
FIGURE 7.3	– ARCHITECTURE FOR IMS LRF SUPPORT FOR EMERGENCY SERVICES OVER AN OTT SP	13

ATIS-0700031

FIGURE 7.4 – ARCHITECTURE FOR IMS E-CSCF SUPPORT FOR EMERGENCY SERVICES OVER AN OTT SP 14

TABLE 7.2 – INFORMATION SENT BY A UE TO AN OTT SP WHEN A SERVING MNO PROVIDES IMS SUPPORT FOR AN OTT SP
EMERGENCY CALL 14

FIGURE 7.5 – CALL FLOW FOR ALTERNATIVE S1 WITH ENHANCED LBYR SUPPORT 16

FIGURE 7.6 – CALL FLOW FOR ALTERNATIVE S1 WITH ENHANCED IMS LRF SUPPORT 19

FIGURE A.1 – INTERCONNECTED OTT, DISTRIBUTED SERVICE LOGIC..... 27

FIGURE A.2 – NON-INTERCONNECTED OTT, DISTRIBUTED SERVICE LOGIC 28

FIGURE A.3 – INTERCONNECTED OTT SERVICE, CENTRALIZED CLOUD SERVICE LOGIC..... 30

FIGURE A.4 – INTERCONNECTED OTT SERVICE, CENTRALIZED CLOUD SERVICE LOGIC, DISTRIBUTED SESSIONS..... 32

FIGURE A.5 – NON-INTERCONNECTED OTT SERVICE, CENTRALIZED CLOUD SERVICE LOGIC 33

FIGURE A.6 – NON-INTERCONNECTED OTT SERVICE, CENTRALIZED CLOUD SERVICE LOGIC, DISTRIBUTED SESSIONS 34

FIGURE A.7 – EMERGENCY SERVICES CALL VIA AN EMERGENCY SERVICES CAPABLE ACCESS NETWORK (ESCAN) AND OTT
VSP..... 37

Table of Tables

TABLE 7.2 – INFORMATION SENT BY A UE TO AN OTT SP WHEN A SERVING MNO PROVIDES IMS SUPPORT FOR AN OTT SP
EMERGENCY CALL 14

ATIS Standard on –

Location and Routing Support for Non-Operator-Managed OTT Citizen-to-Authority Emergency Services

1 Scope

The scope of this standard is twofold. First, to identify and evaluate technical methods by which an operator of a user access network can acquire and convey location used for routing an Over The Top VoIP emergency call or an Over The Top IP-based text messaging emergency session. Secondly, to identify and evaluate technical methods in the case of an IP Multimedia Subsystem (IMS)-based operator-managed interconnected VoIP or Text Messaging over IP (ToIP) service by which location information can be acquired and conveyed for routing VoIP or ToIP emergency calls. For both cases, the location information is made available for presentation to the appropriate Public Safety Answering Point (PSAP) for dispatch purposes.

In evaluating different methods, the standard considers feasibility, compatibility with existing deployment, security, privacy, regulatory constraints, and inter-operator charging. The standard applies to multiple access types including wireless (e.g., Long Term Evolution [LTE], Wi-Fi) and wireline (e.g., DSL) broadband networks.

The standard is intended to support location acquisition, conveyance, and dereferencing for the purposes of both routing and dispatch for an IP-based emergency call or text messaging session using voice Global Text Telephony (GTT) or text messaging made by a fixed, nomadic, or mobile subscriber in North America. Also, in this standard the term access network refers to 3GPP access technologies.

2 Normative References

The following standards contain provisions which, through reference in this text, constitute provisions of this ATIS Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

- [Ref 1] ATIS-0700015, *ATIS Standard for Implementation of 3GPP Common IMS Emergency Procedures for IMS Origination and ESInet/Legacy Selective Router Termination*.¹
- [Ref 2] draft-ietf-ecrit-phonebc-20, *Best Current Practice for Communications Services in support of Emergency Calling*, September 2011.
- [Ref 3] IETF RFC 6443, *Framework for Emergency Calling Using Internet Multimedia*.²
- [Ref 4] IETF RFC 6881, *Best Current Practice for Communications Services in Support of Emergency Calling*.²
- [Ref 5] 3GPP TS 23.271, *Technical Specification Group Services and System Aspects; Functional Stage 2 description of Location Services (LCS)*.³

¹ This document is available from the Alliance for Telecommunications Industry Solutions (ATIS), 1200 G Street N.W., Suite 500, Washington, DC 20005 at: < <https://www.atis.org/docstore/product.aspx?id=28140> >.

² This document is available from the Internet Engineering Task Force (IETF) at: < <http://www.ietf.org> >.

³ This document is available from the Third Generation Partnership Project (3GPP) at: < <http://www.3gpp.org/specs/specs.htm> >.