



ATIS-TRQ.10.2009

**SPLITTERS USED FOR
LINE SPLITTING AND LINE SHARING APPLICATIONS**

TECHNICAL REQUIREMENTS



ATIS is the leading technical planning and standards development organization committed to the rapid development of global, market-driven standards for the information, entertainment and communications industry. More than 250 companies actively formulate standards in ATIS' 20 Committees, covering issues including: IPTV, Service Oriented Networks, Home Networking, Energy Efficiency, IP-Based and Wireless Technologies, Quality of Service, Billing and Operational Support. In addition, numerous Incubators, Focus and Exploratory Groups address emerging industry priorities including "Green", IP Downloadable Security, Next Generation Carrier Interconnect, IPv6 and Convergence.

ATIS is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a member and major U.S. contributor to the International Telecommunication Union (ITU) Radio and Telecommunications' Sectors, and a member of the Inter-American Telecommunication Commission (CITEL). For more information, please visit < <http://www.atis.org> >.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, WITH RESPECT TO ANY CLAIM, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES ANY AND ALL USE OF OR RELIANCE UPON THIS INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith.
--

ATIS-TRQ.10.2009, *Splitters Used for Line Splitting and Line Sharing Applications* (Revision of T1.TRQ.10-2003)

Is an ATIS Standard developed by the **Network Access Interfaces (NAI)** Subcommittee under the **ATIS Network Interface, Power, and Protection Committee (NIPP)**.

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2009 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

Printed in the United States of America.

Technical Requirement on

SPLITTERS USED FOR LINE SPLITTING AND LINE SHARING APPLICATIONS

Alliance for Telecommunications Industry Solutions

Approved June 2009

Abstract

This technical requirements (TRQ) document defines three types of network equipment facility line sharing splitters. The physical environment of the device is not described in this TRQ. In order to minimize product restrictions and maximize choice of equipment configurations, the physical attributes, safety issues, and configurations are not specified. Service providers should specify these items in order to accommodate a variety of equipment configurations, installations, central office, and remote terminal environments.

This TRQ describes the electrical characteristics of three network equipment facility line sharing splitters that function to sufficiently reduce the DSL signal impact on the line card, and permit legacy plain ordinary telephone service (POTS) communication. These requirements support several types of DSL signal transmission. Also included in this TRQ are descriptions of test methods to ascertain compliance and minimize ambiguity of the intent of these requirements.

FOREWORD

The network equipment facility line sharing splitters defined in this document may be used to facilitate the deployment of various DSL technologies over a metallic facility that is also being used to provide POTS (plain ordinary telephone service) by means of the PSTN (public switched telephone network).

This technical requirement document specifies the electrical characteristics of several network equipment facility line sharing splitters. This document builds on ATIS-0600413.2009, Annex E, for the "Type A" category splitter, and contributions from T1E1.4 define "Type B" and "Type C".

This revision to T1.TRQ.10 allows the CO Splitter Signature to be optional for all CO splitters including "Type A", "Type B", and "Type C". This document has been written to help ensure the proper interfacing and inter-working of DSL and the PSTN equipment at the central office. It also is intended to facilitate compliance with FCC Order 99-355 requiring shared access.

This document includes requirements, recommendations and options; these are designated by the words "shall," "should" and "may," respectively. The word "will" is used only to designate events that will take place under some defined set of circumstances. Suggestions for improvements of this document are welcomed. They should be sent to the Alliance for Telecommunications Industries Solutions, 1200 G Street, NW, Suite 500, Washington, DC 20005.

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Network Interface, Power, and Protection Committee (NIPP) -- formerly T1E1 -- develops and recommends standards and technical reports. The standards and technical reports are related to power systems, electrical and physical protection for the exchange and interexchange carrier networks, and interfaces associated with user access to telecommunications networks.

At the time of initiation or issuance of the letter ballot for this document, NIPP, which was responsible for its development, had the following roster:

- E. Eckert, NIPP Chair
- K. Sievert, NIPP Vice-Chair
- C. Underkoffler, ATIS Chief Editor
- C. Posthuma, NIPP Technical Editor

Organization Represented	Name of Representative
Actelis Networks Inc.	Ioannis Kanellakopoulos, PhD
ADTRAN Inc.	Arlynn Wilson Richard Goodson (Alt.)
Aktino, Inc.	Ray Nagele Michail Tsatsanis (Alt.)
Alcatel - Lucent	Ken Biholar Tim Pantis (Alt.)
ASSIA Inc.	Peter Silverman Wonjong Rhee (Alt.)
AT&T	Tom Starr Gary J. Tennyson (Alt.)
Aware, Inc.	Marcos Tzannes Richard L. Stuart (Alt.)
Bell Canada	Redouane Zidane Lucie Basque (Alt.)
Bourns Limited	Michael Maytum
British Telecom	Kevin Foster John W. Cook (Alt.)
Broadcom Corporation	Miguel Peeters Aidan O'Rourke (Alt.)
Brocade Communications Systems	Paul Zahra Fred Hendrix (Alt.)
C.S.I. Telecommunications	Thomas G. Croda Michael S. Newman (Alt.)
Ceterus Networks	William Szeto
CIENA Corporation	Mike Wingrove Christian Bourget (Alt.)
Cisco Systems	John Krahnert Leonid Robinovich (Alt.)

Organization Represented	Name of Representative
Conexant Systems, Inc.	Massimo Sorbara
Corning Cable Systems	Christian Duran Don Turner (Alt.)
Department of Defense	Chris Fitzgerald
ECI Telecom Incorporated	Yoel Shahar Olga Goldin (Alt.)
Embarq Corporation	Michael Haslett
Ericsson Incorporated	Per-Erik Eriksson Asfaw Negeri (Alt.)
ETRI	Pyung-Dong Cho Sang-Mu Lee (Alt.)
FCI USA Inc.	Ronald Lai Paul Werthman (Alt.)
Fujitsu America Inc.	Brian Hunk Jeff Holt (Alt.)
Fultec Semiconductor Inc.	Richard Harris
Hatteras Networks	Matt Squire
Huawei Technologies	Dong Wei Guozhu Long (Alt.)
Ikanos Communications	Ed Eckert Sam Heidari (Alt.)
Infineon Technologies	Les Brown Bernd Heise (Alt.)
Intel Corporation	Kevin Bross Vasu Vasudevan (Alt.)
INTERTEK, Inc.	Chris Coyle
Juniper Networks	Fred Stringer Subbu Tallak (Alt.)
Littelfuse LP	Phillip Havens

ATIS-TRQ.10.2009

Organization Represented	Name of Representative
National Technical Systems	Clayton Forbes
Nokia Siemens Networks	David E. Francisco
Nortel	Joseph A. Zebarth
Peco II, Inc.	Tom Wiggins Tab Walter (Alt.)
Pulse	Greg Gough William J. Buckley(Alt.)
Qwest	Michael Sprenger Pete Kawamoto (Alt.)
Sparnex n.v.	Joe Maes Andre Holley (Alt.)
Sprint	Rob Schroeder Pete Youngberg (Alt)
Stanford University	John Cioffi Patricia Oshiro (Alt.)

Organization Represented	Name of Representative
Symmetricom Inc.	Kishan Shenoii Jim Olsen (Alt.)
Telcordia Technologies	Ken Kerpez Cliff Halevi (Alt.)
Tellabs Operations	Gary Hazard Mark Jones (Alt.)
Telstra	Frank Ruhl Bruce Clarke
Thomas & Betts Corporation	Bruce Hauver, Sr.
Underwriters Laboratories, Inc.	Randy Ivans
Verizon Communications	Trone Bishop Kevin Sievert (Alt.)
Zarlink Semiconductor	Michel Darveau Dave Chabinec (Alt.)

The Network Access Interfaces (NAI) Subcommittee – formerly T1E1.4 -- was responsible for the development of this document.

TABLE OF CONTENTS

1 SCOPE & PURPOSE	1
1.1 SCOPE.....	1
1.2 PURPOSE.....	1
1.3 OTHER CONSIDERATIONS	1
2 REFERENCED STANDARDS	1
3 DEFINITIONS, ABBREVIATIONS, ACRONYMS & SYMBOLS	2
3.1 DEFINITIONS	2
3.2 ABBREVIATIONS, ACRONYMS, & SYMBOLS	2
4 TYPE A NETWORK EQUIPMENT FACILITY LINE SHARING SPLITTER (LSS) REQUIREMENTS	4
4.1 INTRODUCTION	4
4.1.1 <i>Line Sharing Splitter Function Location</i>	4
4.1.1.1 <i>Splitter Located in a Stand Alone Splitter Shelf</i>	4
4.1.1.2 <i>Splitter Located with the TU-C Modem</i>	5
4.1.1.3 <i>Splitter Located with the PSTN Line Card</i>	5
4.2 TEST METHODS.....	6
4.2.1 <i>Frequencies Used in Testing</i>	6
4.2.2 <i>Balanced Terminations</i>	6
4.3 LINE SHARING SPLITTER FUNCTIONAL REQUIREMENTS	6
4.4 HIGH PASS FILTER IMPEDANCE (ZHP) DEFINED.....	7
4.5 OPTIONAL MAINTENANCE TEST SIGNATURES (MTS)	7
4.6 SIGNALING REQUIREMENTS.....	8
4.7 VOICE BAND REQUIREMENTS.....	8
4.7.1 <i>Metallic Balanced (Differential Mode)</i>	8
4.7.1.1 <i>Test Loops</i>	8
4.7.1.2 <i>Insertion Loss at 1004 Hz</i>	8
4.7.1.3 <i>Increase in Attenuation Distortion in the Voice Band – Type A</i>	9
4.7.1.4 <i>Envelope Delay Distortion</i>	10
4.7.1.5 <i>Return Loss</i>	10
4.7.1.6 <i>Intermodulation Distortion</i>	11
4.7.2 <i>Longitudinal Balance of Line Sharing Splitter</i>	11
4.7.2.1 <i>Longitudinal Balance of Line Sharing Splitter using Two-Port Testing Technique</i>	11
4.7.2.2 <i>Longitudinal Balance of Line Sharing Splitter using One Port Testing Technique</i>	12
4.7.3 <i>Transparent Testing Capacitance</i>	12
4.7.3.1 <i>Tip to Ring Capacitance</i>	13
4.7.3.2 <i>Capacitance to Ground</i>	13
4.8 DSL BAND TESTING	13
4.8.1 <i>DSL Band Attenuation</i>	13
4.8.2 <i>Input Impedance (Loading of DSL Signal Path)</i>	14
5 TYPE B NETWORK EQUIPMENT FACILITY LINE SHARING SPLITTER REQUIREMENTS	14
5.1 INTRODUCTION	14
5.1.1 <i>Line Sharing Splitter Function Location</i>	15
5.1.1.1 <i>Splitter Located in a Stand Alone Splitter Shelf</i>	15
5.1.1.2 <i>Splitter Located with the TU-C Modem</i>	15
5.1.1.3 <i>Splitter Located with the PSTN Line Card</i>	16
5.2 TEST METHODS	16
5.2.1 <i>Frequencies Used in Testing</i>	16
5.2.2 <i>Balanced Terminations</i>	17
5.3 LINE SHARING SPLITTER FUNCTIONAL REQUIREMENTS	17
5.4 HIGH PASS FILTER IMPEDANCE (ZHP) DEFINED.....	17
5.5 OPTIONAL MAINTENANCE TEST SIGNATURES (MTS)	18
5.6 SIGNALING REQUIREMENTS.....	18
5.7 VOICE BAND REQUIREMENTS.....	19
5.7.1 <i>Metallic Balanced (Differential Mode)</i>	19
5.7.1.1 <i>Test Loops</i>	19
5.7.1.2 <i>Insertion Loss at 1004 Hz</i>	19
5.7.1.3 <i>Attenuation Distortion in the Voice Band</i>	19

5.7.1.4	Envelope Delay Distortion	20
5.7.1.5	Return Loss	20
5.7.1.6	Intermodulation Distortion	21
5.7.2	Longitudinal Balance of Line Sharing Splitter.....	22
5.7.2.1	Longitudinal Balance of Line Sharing Splitter using Two-Port Testing Technique	22
5.7.2.2	Longitudinal Balance of Line Sharing Splitter using One-Port Testing Technique	22
5.7.3	Transparent Testing Capacitance	23
5.7.3.1	Tip to Ring Capacitance.....	23
5.7.3.2	Capacitance to Ground.....	24
5.8	DSL BAND TESTING	24
5.8.1	DSL Band Attenuation.....	24
5.8.2	Transition Band Attenuation	24
5.8.3	Input Impedance (Loading of DSL Signal Path)	24
5.8.4	Transitional DSL Band Envelope Delay Distortion	25
6	TYPE C NETWORK EQUIPMENT FACILITY LINE SHARING SPLITTER REQUIREMENTS.....	25
6.1	INTRODUCTION	25
6.1.1	Line Sharing Splitter Function Location.....	26
6.1.1.1	Distributed Splitter Architecture	26
6.1.1.2	Splitter Located with the TU-C Modem.....	27
6.1.1.3	Splitter Located with the PSTN Line Card.....	27
6.2	TEST REQUIREMENTS	28
6.2.1	Frequencies Used in Testing-Test Requirements	28
6.2.2	Balanced Terminations	28
6.3	LINE SHARING SPLITTER FUNCTIONAL REQUIREMENTS	28
6.4	HIGH PASS FILTER IMPEDANCE (ZHP) DEFINED	28
6.5	OPTIONAL MAINTENANCE TEST SIGNATURES (MTS)	29
6.6	SIGNALING REQUIREMENTS.....	29
6.7	VOICE BAND REQUIREMENTS.....	30
6.7.1	Metallic Balanced (Differential Mode).....	30
6.7.1.1	Test Loops.....	30
6.7.1.2	PSTN to Line Insertion Loss.....	30
6.7.1.3	Attenuation Distortion in the Voice Band.....	30
6.7.1.4	Envelope Delay Distortion.....	31
6.7.1.5	Return Loss	31
6.7.1.6	Intermodulation Distortion	32
6.7.2	Longitudinal Balance of Line Sharing Splitter.....	33
6.7.2.1	Longitudinal Balance of Line Sharing Splitter using Two-Port Testing Technique	33
6.7.2.2	Longitudinal Balance of Line Sharing Splitter using One-Port Testing Technique	34
6.7.3	Transparent Testing Capacitance	34
6.7.3.1	Tip to Ring Capacitance.....	35
6.7.3.2	Capacitance to Ground.....	35
6.8	DSL BAND TESTING	35
6.8.1	DSL Band Attenuation.....	35
6.8.2	DSL to Line Insertion Loss.....	36
6.8.3	DSL Non-Linear Distortion.....	36
7	INFORMATIVE REFERENCES	37
A	ELECTRICAL SPECIFICATIONS FOR LINE SHARING SPLITTERS	38
A.1	ELECTRICAL SPECIFICATIONS FOR LINE SHARING SPLITTERS (CON'T).....	39

TABLE OF FIGURES

FIGURE 1 - SPLITTER LOCATED IN A STAND ALONE SPLITTER SHELF – TYPE A	5
FIGURE 2 - SPLITTER LOCATED WITH THE TU-C MODEM – TYPE A	5
FIGURE 3 - SPLITTER LOCATED WITH THE PSTN LINE CARD – TYPE A	6
FIGURE 4 - EXTERNAL LINE SHARING SPLITTER WITHOUT HPF FUNCTION-TYPE A	7
FIGURE 5 - ZHP DEFINITION-TYPE A	7
FIGURE 6 - MAINTENANCE TEST SIGNATURE - TYPE A	8
FIGURE 7 - TRANSMISSION MEASUREMENTS IN VOICE BAND FOR THE LINE SHARING SPLITTER-TYPE A	9
FIGURE 8 - LINE SHARING SPLITTER RETURN LOSS SET UP-TYPE A	10

ATIS-TRQ.10.2009

FIGURE 9 - LONGITUDINAL BALANCE CO TEST SETUP PER IEEE 455-TYPE A	12
FIGURE 10 - LONGITUDINAL BALANCE CO TEST SET-UP FOR ONE-PORT NETWORK PER IEEE 455-TYPE A	12
FIGURE 11 - CAPACITANCE TEST-TYPE A	13
FIGURE 12 - MEASUREMENT OF THE LINE SHARING SPLITTER ATTENUATION IN THE DSL BAND-TYPE A	14
FIGURE 13 - MEASUREMENT OF LOADING EFFECT OF LINE SHARING SPLITTER IN THE DSL BAND-TYPE A	14
FIGURE 14 - SPLITTER LOCATED IN A STAND ALONE SPLITTER SHELF – TYPE B	15
FIGURE 15 - SPLITTER LOCATED WITH THE TU-C MODEM – TYPE B	16
FIGURE 16 - SPLITTER LOCATED WITH THE PSTN LINE CARD – TYPE B	16
FIGURE 17 - EXTERNAL LINE SHARING SPLITTER WITHOUT HPF FUNCTION-TYPE B	17
FIGURE 18 - ZHP DEFINITION-TYPE B	18
FIGURE 19 - MAINTENANCE TEST SIGNATURE - TYPE B	18
FIGURE 20 - TRANSMISSION MEASUREMENTS IN VOICE BAND FOR THE LINE SHARING SPLITTER-TYPE B	20
FIGURE 21 - LINE SHARING SPLITTER RETURN LOSS SET UP-TYPE B	21
FIGURE 22 - LONGITUDINAL BALANCE CO TEST SETUP PER IEEE 455-TYPE B	22
FIGURE 23 - LONGITUDINAL BALANCE CO TEST SET-UP FOR ONE PORT NETWORKS PER IEEE 455-TYPE B	23
FIGURE 24 - CAPACITANCE TEST-TYPE B	24
FIGURE 25 - MEASUREMENT OF THE LINE SHARING SPLITTER ATTENUATION IN THE DSL BAND-TYPE B	24
FIGURE 26 - MEASUREMENT OF LOADING EFFECT OF THE LINE SHARING SPLITTER IN THE DSL BAND-TYPE B	25
FIGURE 27 - MEASUREMENT OF ENVELOPE DELAY DISTORTION OF THE LINE SHARING SPLITTER IN THE DSL BAND-TYPE B	25
FIGURE 28 - SPLITTER LOCATED IN A STAND ALONE SPLITTER SHELF – TYPE C	26
FIGURE 29 - SPLITTER LOCATED WITH THE TU-C MODEM – TYPE C	27
FIGURE 30 - SPLITTER LOCATED WITH THE PSTN LINE CARD – TYPE C	27
FIGURE 31 - EXTERNAL LINE SHARING SPLITTER WITHOUT HPF FUNCTION-TYPE C	28
FIGURE 32 - ZHP DEFINITION-TYPE C	29
FIGURE 33 - MAINTENANCE TEST SIGNATURE - TYPE C	29
FIGURE 34 - TRANSMISSION MEASUREMENTS IN VOICE BAND FOR THE LINE SHARING SPLITTER-TYPE C	31
FIGURE 35 - LINE SHARING SPLITTER RETURN LOSS SET UP-TYPE C	32
FIGURE 36 - LONGITUDINAL BALANCE CO TEST SETUP PER IEEE 455-TYPE C	34
FIGURE 37 - LONGITUDINAL BALANCE TEST SET-UP FOR ONE PORT NETWORKS PER IEEE 455-TYPE C	34
FIGURE 38 - CAPACITANCE TEST-TYPE C	35
FIGURE 39 - MEASUREMENT OF THE LINE SHARING SPLITTER ATTENUATION IN THE DSL BAND-TYPE C	36
FIGURE 40 - INSERTION LOSS MEASUREMENT IN THE DSL BAND-TYPE C	36

TABLE OF TABLES

TABLE 1 - INCREASE IN INSERTION LOSS AT 1004 Hz-TYPE A	9
TABLE 2 - INCREASE IN ATTENUATION DISTORTION IN VOICE BAND-TYPE A	9
TABLE 3 - INCREASE IN ENVELOPE DELAY DISTORTION-TYPE A	10
TABLE 4 - RETURN LOSS-TYPE A	11
TABLE 5 - INSERTION LOSS AT 1004 Hz-TYPE B	19
TABLE 6 - INCREASE IN ATTENUATION IN THE VOICE BAND-TYPE B	19
TABLE 7 - ENVELOPE DELAY DISTORTION-TYPE B	20
TABLE 8 - RETURN LOSS-TYPE B	21
TABLE 9 - PSTN TO LINE PORT INSERTION LOSS AT 1004 Hz – TYPE C	30
TABLE 10 - ATTENUATION DISTORTION IN THE VOICE BAND – TYPE C	30
TABLE 11 - DELAY DISTORTION – TYPE C	31
TABLE 12 - PSTN TO LINE RETURN LOSS – TYPE C	32
TABLE 13 - PSTN TO LINE INTERMODULATION DISTORTION – TYPE C	33
TABLE 14 - PSTN TO LINE LONGITUDINAL BALANCE – TYPE C	33
TABLE 15 - PSTN TO LINE ONE-PORT LONGITUDINAL BALANCE	34
TABLE 16 - DSL TO LINE INSERTION LOSS – TYPE C	36

Technical Requirement on –

Splitters Used for Line Splitting and Line Sharing Applications

1 SCOPE & PURPOSE

1.1 Scope

This Technical Requirement document (TRQ) defines a minimal set of electrical requirements for a network equipment facility line-sharing filter, often referred to as a *central office (CO) Line Sharing Splitter (LSS)*. The parameters defined include terminations, frequencies, testing, test signatures, dc characteristics, voice-band characteristics, attenuation, envelope delay distortion, impedance, longitudinal balance, and metallic balance. Additional features and performance characteristics may be included in a network equipment facility LSS; however, such features and performance characteristics are beyond the scope of this document.

1.2 Purpose

This TRQ is intended to facilitate the provisioning of various digital subscriber line (DSL) technologies and voice-band services over the same loop. The document is written broadly to permit the LSS to be used for current DSL technologies and potential new DSL technologies that use the same frequency spectra.

1.3 Other Considerations

Network systems apply various electrical signals to the subscriber loop for the purpose of network maintenance and alerting the customer of an incoming call. These signals vary considerably in amplitude and can reach values of $-/+ 200\text{Vdc}$ for maintenance functions and 276.2 volts peak for alerting signals. When these signals are applied to an access line that also has a Network Equipment Facility LSS wired in series with the subscriber loop, the low pass section of the splitter may see the full magnitude of these signals. Therefore, consideration should be given to the selection of circuit components used for the LSS design. During the times these signals are applied, it is acceptable that the low pass filter does not perform all of its functions nor meet the all of the technical requirements in this document. However, the filter components should not be permanently damaged.

Such phenomena as lightning and over voltage due to inductive interference or power cross lie beyond the scope of this TRQ.

The detailed technical parameters of the network maintenance and alerting signals referenced here can be found in the informative references in clause 7.

2 REFERENCED STANDARDS

The following standards contain provisions that, through reference in this text, constitute provisions of this technical requirements document. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this document are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.