



ATIS-0100521.2005(S2020)

**Packet Loss Concealment for Use with ITU-T
Recommendation G.711**

AMERICAN NATIONAL STANDARD FOR TELECOMMUNICATIONS



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires review by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made towards their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<http://www.atis.org/legal/patentinfo.asp>] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

ATIS-0100521.2005(S2020), *Packet Loss Concealment for Use with ITU-T Recommendation G.711*

Is an American National Standard developed by the **ATIS Network Performance, Reliability, and Quality of Service (PRQC)**.

Published by

**Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005**

Copyright © 2020 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

ATIS-0100521.2005(S2020)

(Revision of T1.521-1999 and T1.521a-2000)

American National Standard for Telecommunications

Packet Loss Concealment for Use with ITU-T Recommendation G.711

Secretariat

Alliance for Telecommunications Industry Solutions

Approved March 11, 2005

American National Standards Institute, Inc.

Abstract

This standard describes Packet Loss Concealment algorithms for use in packetized speech transmission systems that use ITU-T Recommendation G.711 to code speech signals. These concealment algorithms enable high-quality speech transmission in operating environments where packet losses occur by providing high-quality packet loss recovery methods.

FOREWORD

The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

In recent years, the Network Performance, Reliability, and Quality of Service Committee (PRQC) – formerly T1A1 – has studied signal processing and performance aspects of speech packetization systems, issuing an ANSI standard (T1.509-1999) and a T1 Technical Report (Technical Report No. 45) on the subject. A shortcoming of those documents was the lack of clear information on high-quality methods for mitigating the effects of packets that are lost or destroyed during transmission.

The intent of this standard is to describe techniques and associated benefits of packet loss concealment (PLC) methods for use with ITU-T Recommendation G.711. The algorithms described in Annexes A & B are both single-ended; the implementation involves only the receiver. No modifications are required at the transmitting end. The Annexes provide example code; however, other implementations of the individual algorithms are possible. The performance of the methods defined in this standard has been demonstrated in subjective listening tests; the Annex A and Annex B methods are subjectively equivalent for the range of conditions tested.

Annex A describes a low-complexity, high-quality Packet Loss Concealment algorithm. In informal listening tests it performs well under a variety of input signal conditions: clean speech, noisy speech, music, and background noises, and compares favorably with the Packet Loss Concealment algorithms in several of the CELP-based speech coders standardized by the ITU-T.

Annex B describes a technique that employs linear prediction to estimate missing speech and uses the resultant vocal tract model output and excitation information to reconstruct the signal contained in missing packets. Formal subjective tests have been performed to evaluate this technique and unprotected G.711, using packet losses up to 10%, packet sizes up to 40 ms, and with clean and noisy speech. The results show significant benefit from the application of this technique compared to unprotected G.711.

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Network Performance, Reliability, and Quality of Service Committee (PRQC) – formerly T1A1 – develops and recommends standards, requirements, and technical reports related to the performance, reliability, and associated security aspects of communications networks, as well as the processing of voice, audio, data, image, and video signals, and their multimedia integration. PRQC also develops and recommends positions on, and foster consistency with, standards and related subjects under consideration in other North American and international standards bodies.

ANSI guidelines specify two categories of requirements: mandatory and recommendation. The mandatory requirements are designated by the word *shall* and recommendations by the word *should*. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, PRQC Secretariat, 1200 G Street NW, Suite 500, Washington, DC 20005.

ATIS-0100521.2005(S2020)

At the time it approved this document, PRQC, which is responsible for the development of this Standard, had the following members:

R. Wohler, PRQC Chair
 N. Seitz, PRQC Vice-Chair
 S. Carioti, ATIS Disciplines
 S. Barclay, ATIS Secretariat
 C. Underkoffler, ATIS Chief Editor
 M. Perkins and L. Thorpe, PRQC Technical Editors

Organization Represented	Name of Representative
Alcatel USA Inc.	Ken Biholar
ASTRI	Jacky Chow
AT&T	Percy Tarapore Charles A. Dvorak (Alt.)
BellSouth Telecommunications	Archie McCain David M. Brady (Alt.)
C.S.I Telecommunications	Michael S. Newman Thomas G. Croda (Alt.)
Cingular Wireless LLC	Don Zelmer Marc Grand (Alt.)
Defense Info. Systems Agency	Chris Fitzgerald
Ericsson Incorporated	Mustafa Kocaturk Susana Sabater-Maroto (Alt.)
Harris Corporation	Marlis Humphrey
Intelsat	Mark T. Neibert
Lucent Technologies	Stuart O. Goldman
MCI	J. Martin Carroll Robert Schafer (Alt.)

Organization Represented	Name of Representative
National Communications System	An Nguyen Jean Trakinat (Alt.)
NTIA	Neal B. Seitz
Nortel Networks	Joseph A. Zearth
Qwest	Steve Showell Michael Fargano (Alt.)
SBC Communications, Inc.	Randolph Wohler Pierre Costa (Alt.)
Siemens Info & Comm Ntwks, Inc.	Suhas S. Gandhi David E. Francisco (Alt.)
Sprint Corporation	Mark L. Jones
Telcordia Technologies	Spilios Makris Cliff Halevi (Alt.)
Tellabs Operations, Inc.	William A. Walker Kevin Stodola (Alt.)
Verizon Communications	John Colombo Wendy Pugh (Alt.)

TABLE OF CONTENTS

FOREWORD	II
TABLE OF CONTENTS	IV
TABLE OF FIGURES	V
TABLE OF TABLES	V
1 PURPOSE, SCOPE, APPLICATION	1
1.1 PURPOSE.....	1
1.2 SCOPE.....	1
1.3 APPLICATION.....	1
1.4 CONFORMANCE.....	1
2 NORMATIVE REFERENCE	1
3 ABBREVIATIONS	2
4 DEFINITIONS	2
5 CONVENTIONS	2
6 PACKET LOSS CONCEALMENT FOR G.711	2
A REVERSE ORDER REPLICATED PITCH PERIODS (RORPP) ALGORITHM	4
A.1 ALGORITHM DESCRIPTION	4
A.1.1 <i>Good Packets</i>	4
A.1.2 <i>First Lost Packet</i>	4
A.1.3 <i>Pitch Detection</i>	4
A.1.4 <i>Synthetic Signal Generation for First 10 ms</i>	5
A.1.5 <i>Synthetic Signal Generation after 10 ms</i>	5
A.1.6 <i>Attenuation</i>	6
A.1.7 <i>First Good Packet after an Erasure</i>	6
A.2 APPLICATION TO OTHER SPEECH CODERS	6
A.3 EXAMPLE	7
A.4 COMPLEXITY AND DELAY	9
A.5 ANNOTATED C++ CODE.....	9
A.5.1 <i>TYPEDEFS and CONSTANTS</i>	10
A.5.1.1 <i>Class Declaration</i>	10
A.5.1.2 <i>Main Loop</i>	11
A.5.1.3 <i>Utility Member Functions</i>	12
A.5.1.4 <i>Constructor</i>	13
A.5.2 <i>ADDTOHISTORY and SAVESPEECH</i>	13
A.5.3 <i>DOFE</i>	15
A.5.3.1 <i>Pitch Detection</i>	17
A.5.3.2 <i>Synthetic Signal Generation and Attenuation</i>	19
A.5.3.3 <i>Overlap Add Operators</i>	20
B LP-BASED PACKET LOSS CONCEALMENT ALGORITHM	22
B.1 ALGORITHM	22
B.1.1 <i>State Variables</i>	22
B.1.2 <i>First Lost Packet</i>	23
B.1.2.1 <i>LP Analysis</i>	23
B.1.2.2 <i>LP Filter</i>	24
B.1.2.3 <i>Pitch Detector</i>	24
B.1.2.4 <i>Excitation Generator (first lost packet)</i>	24
B.1.2.5 <i>Inverse LP Filter</i>	25
B.1.2.6 <i>Overlap-and-Add Unit</i>	25

<i>B.1.2.7 Scaling (lost packets)</i>	25
<i>B.1.3 Consecutive Packet Losses</i>	25
<i>B.1.3.1 Excitation Generator (consecutive packet losses)</i>	25
<i>B.1.4 Good Packets</i>	26
<i>B.1.4.1 Overlap-and-Add Unit (first good packet only)</i>	26
<i>B.1.4.2 Scaling (good packets)</i>	26
B.2 DELAY AND COMPLEXITY	27
B.3 ANNOTATED C CODE	27
<i>B.3.1 Constants and type definitions</i>	27
<i>B.3.2 Global variables and tables</i>	28
<i>B.3.3 Initialization and the main loop</i>	28
<i>B.3.4 Main algorithm</i>	29
<i>B.3.5 LP analysis and filtering</i>	31
<i>B.3.6 Pitch prediction</i>	32
<i>B.3.7 Excitation generation</i>	33
<i>B.3.8 Overlap-and-add operations</i>	34
<i>B.3.9 Constructing the output frame and the buffer updates</i>	35
<i>B.3.10 Scaling functions</i>	35
<i>B.3.11 Utility functions</i>	36
C BIBLIOGRAPHY	37

TABLE OF FIGURES

FIGURE A.1 - RORPP PACKET LOSS CONCEALMENT ALGORITHM FOR G.711	7
FIGURE B.1 - BLOCK DIAGRAM OF THE ALGORITHM FOR THE FIRST LOST PACKET	23
FIGURE B.2 - GENERATING THE NEW EXCITATION FROM THE RESIDUAL SIGNAL.....	24
FIGURE B.3 - GENERATING THE NEW EXCITATION FOR CONSECUTIVE PACKET LOSSES	26

TABLE OF TABLES

TABLE A.1 - FREQUENCY OF OPERATOR OCCURRENCE IN FINDPITCH AND OVERLAPADD ROUTINES	9
TABLE B.1 - COMPUTATIONAL REQUIREMENTS OF THE LP-BASED PLC ALGORITHM	27

American National Standard for Telecommunications –

Packet Loss Concealment for Use with ITU-T Recommendation G.711

1 PURPOSE, SCOPE, APPLICATION

1.1 Purpose

In 1995, Working Group T1A1.7 (now, PRQC-QOS) published a Technical Report on speech packetization. That Report took note of the importance of packet loss recovery, but made no specific recommendations of how it should be achieved, choosing only to list a number of possible techniques. These included simple techniques such as repeating the previous packet, inserting white noise at the same power level as surrounding packets, or silence substitution.

To provide high-quality speech transmission in packetized systems that use G.711 and in which packet loss may occur, high quality methods for recovering from packet loss are required.

1.2 Scope

This standard describes Packet Loss Concealment algorithms for use in packetized speech transmission systems that use ITU-T Recommendation G.711 to code speech signals. Mechanisms for detecting packet loss are not defined in this standard and will depend on the application.

1.3 Application

The methods for Packet Loss Concealment (i.e., recovery from packet loss) described here are applicable to packetized speech transmission systems that use ITU-T Recommendation G.711 as the coding mechanism.

1.4 Conformance

Conformance with this standard will be achieved by use of either the algorithm defined in Annex A or that defined in Annex B.

2 NORMATIVE REFERENCE

The following standard contains provisions that, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated are valid. All ref-