



ATIS-1000114.2004(\$2019)

Signalling System Number 7 (SS7) – Transaction
Capabilities Application Part (TCAP)

AMERICAN NATIONAL STANDARD FOR TELECOMMUNICATIONS



As a leading technology and solutions development organization, ATIS brings together the top global ICT companies to advance the industry's most-pressing business priorities. Through ATIS committees and forums, nearly 200 companies address cloud services, device solutions, emergency services, M2M communications, cyber security, ehealth, network evolution, quality of service, billing support, operations, and more. These priorities follow a fast-track development lifecycle – from design and innovation through solutions that include standards, specifications, requirements, business use cases, software toolkits, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). ATIS is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of oneM2M, a member and major U.S. contributor to the International Telecommunication Union (ITU) Radio and Telecommunications sectors, and a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires review by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made towards their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<http://www.atis.org/legal/patentinfo.asp>] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

ATIS-1000114.2004(S2019), *Signalling System Number 7 (SS7) – Transaction Capabilities Application Part (TCAP)*

Is an American National Standard developed by the **Signaling, Architecture, and Control (SAC)** Subcommittee under the **ATIS Packet Technologies and Systems Committee (TMOC)**.

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2019 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at <http://www.atis.org>.

American National Standard for Telecommunications

**SIGNALLING SYSTEM NUMBER 7 (SS7) –
TRANSACTION CAPABILITIES APPLICATION PART (TCAP)**

Secretariat

Alliance for Telecommunications Industry Solutions

Approved September 3, 2004

American National Standards Institute, Inc.

Abstract

This document is based on T1.114-2000, and allows functions similar to those in ITU-T Recommendations Q.771 through Q.774 of the White Book specification of Signalling System No. 7 for international use, issued by the ITU-T Study Group XI (Vol. VI Fascicle VI.9).

FOREWORD

The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

This document is entitled *Signalling System Number 7 (SS7) – Transaction Capabilities Application Part (TCAP)*. It is based on T1.114-2000, and allows functions similar to those in ITU-T Recommendations Q.771 through Q.774 of the White Book specification of Signalling System No. 7 for international use, issued by the ITU-T Study Group XI (Vol. VI Fascicle VI.9).

A change bar on the right margin indicates a change from the 2000 American National Standard. These change bars are advisory only, and reflect the editors' views of which textual changes constitute significant technical changes. Because of the differences in style and content between this standard and the ITU-T Recommendations, it is not possible to indicate differences using margin marks.

This standard is intended for use in conjunction with T1.110-1999, *Signalling System Number 7 (SS7) – General information*, which includes an overview of SS7, a glossary, and a chapter on abbreviations.

Information contained in an informative annex in these specifications is not considered part of this standard but is rather auxiliary to the standard. Similarly, footnotes are not officially part of this standard.

ANSI guidelines specify two categories of requirements: mandatory and recommendation. The mandatory requirements are designated by the word *shall* and recommendations by the word *should*. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages.

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Packet Technologies and Systems Committee (PTSC) – formerly T1S1 -- develops and recommends standards and technical reports related to services, architectures, and signaling, in addition to related subjects under consideration in other North American and international standards bodies.. The PTSC coordinates and develops standards and technical reports relevant to telecommunications networks in the U.S., reviews and prepares contributions on such matters for submission to U.S. ITU-T and U.S. ITU-R Study Groups or other standards organizations, and reviews for acceptability or per contra the positions of other countries in related standards development and takes or recommends appropriate actions..

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, PTSC Secretariat, 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time it approved this document, PTSC, which is responsible for the development of this Standard, had the following members:

- R. Hall, T1S1 Chair
- J. Zebarth, T1S1 Vice-Chair
- S. Carioti, ATIS Disciplines
- S. Barclay, ATIS Secretariat
- C. Underkoffler, ATIS Chief Editor
- S. Goldman, T1S1 Technical Editor

Organization Represented	Name of Representative
Alcatel USA Inc.	Ken Biholar
AT&T	Martin Dolly George Stanek (Alt.)
AT&T Wireless Services, Inc.	Peter Musgrove Brian Daly (Alt.)
Bellsouth Telecommunications	David M. Brady
C.S.I Telecommunications	Michael S. Newman Thomas G. Croda (Alt.)
Cisco Systems	Rajiv Kapoor Chip Sharp (Alt.)
Defense Info. Systems Agency	Chris Fitzgerald
Ericsson Incorporated	Susana Sabater-Maroto Stephen Hayes (Alt.)

Organization Represented	Name of Representative
FBI ESTS	Gregory Milonovich Eric Mason (Alt.)
Harris Corporation	Marlis Humphrey
Hewlett-Packard	Steve Mills
Intelsat	Mark T. Neibert
Lucent Technologies	Stuart O. Goldman
National Communications System	Nicholas Andre Jean Trakinat (Alt.)
Nortel Networks	Joseph A. Zebarth David Bench (Alt.)
Qwest	Steve Showell Michael Fargano (Alt.)

ATIS-1000114.2004 (S2019)

Organization Represented	Name of Representative
SBC Communications, Inc.	B.S. Sambasivan Bob Hall (Alt.)
Siemens Info & Comm Ntwks, Inc.	Ron Franks David E. Francisco (Alt.)
Sprint Corporation	Mark L. Jones
Telcordia Technologies	Wesley Downum Cliff Halevi (Alt.)

Organization Represented	Name of Representative
Tellabs Operations, Inc.	William A. Walker
Tridea Works	Greg Ratta
Turin Networks	Matthew Nguyen
Verizon Communications	Dave Morris Wendy Pugh (Alt.)

The Interoperability Subcommittee (PTSC-IOP) – formerly T1S1.3, the Transaction Capabilities and Application Layer Working Group -- was responsible for the development of this document and had the following members:

- Wesley Downum, T1S1.3 Chair
- Brian Foster, T1S1.3 Chair
- Stuart Goldman, T1S1.3 (TC & AL) convener and T1S1.3 Vice Chair
- Stuart Goldman, T1S1.3Senior Technical Editor
- Wesley Downum, T1S1.3 Editor
- Paul Garvey, T1S1.3 Editor
- Alex Leung, T1S1.3 Editor
- Carol Moylan, T1S1.3 Editor
- Stewart Patch, T1S1.3 Editor
- Arnette Schultz, T1S1.3 Editor

Bjorn Ahle
 Nicholas E. Andre
 Shridharan Balachandran
 Dick Boblin
 Janey Cheu
 Koan S. Chong
 Don Conrad
 Jeff Copley
 Ranga Dendi
 Amar Deol

Martin Dolly
 Christopher Fisher
 Rakesh Gupta
 Jinsha He
 Rich Hemmeter
 Peter Kelleher
 Ceyhan Lennon
 Anne Marie Livingstone
 Clarence Nurse
 Mike McGrew

Yatendra Pathek
 Mike Pierce
 Andre H. Rausch
 Selvam Rengasami
 Walt Roehr
 John Roquet
 Kraig Sanders
 N. Sandesara
 Viqar Shaikh
 Ray Singh

Glenn Sisson
 Al Varney
 Stan Wainberg
 Volnie Whyte
 Albert Yuhan
 Yi Zhao

American National Standard for Telecommunications –

Signalling System Number 7 (SS7) – Transaction Capabilities Application Part (TCAP)

This standard contains the following five chapters:

- ◆ T1.114.1, *Functional Description of Transaction Capabilities*
- ◆ T1.114.2, *Definitions and Functions of Transaction Capabilities Messages*
- ◆ T1.114.3, *TC Formats and Codes*
- ◆ T1.114.4, *Transaction Capabilities Procedures*
- ◆ T1.114.5, *Definitions and Functions of Transaction Capabilities Operations, Parameters, and Error Codes*

Chapter T1.114.1

Functional Description of Transaction Capabilities

TABLE OF CONTENTS

1 SCOPE, PURPOSE, AND APPLICATION	1
1.1 GENERAL	1
1.2 DEFINITION OF TRANSACTION CAPABILITIES	1
1.3 SCOPE OF TRANSACTION CAPABILITIES	1
1.4 SCOPE OF THE SPECIFICATION OF TRANSACTION CAPABILITIES.....	2
2 ARCHITECTURAL CONCEPTS AND TERMINOLOGY	2
2.1 APPLICATION OF OSI REFERENCE MODEL	2
2.2 CONSIDERATIONS.....	2
2.2.1 <i>Addressing of Upper Layer Entities</i>	2
2.2.2 <i>Management of Upper Layer Entities</i>	2
2.2.3 <i>Layered vs. Nonlayered</i>	3
2.2.4 <i>Architecture Model vs. Implementation</i>	3
3 OVERVIEW OF TC FUNCTIONS AND PROCEDURES.....	3
3.1 FRAMEWORK FOR TRANSACTION CAPABILITIES PROTOCOL	3
3.2 DISCUSSION	3
3.2.1 <i>Application</i>	3
3.2.2 <i>Presentation</i>	4
3.2.3 <i>Session</i>	4
3.2.4 <i>Transport</i>	4
3.3 IDENTIFYING SERVICES REQUIRED OF EACH LAYER	4
3.4 GENERAL DESCRIPTION OF TCAP PROCEDURES.....	5
3.4.1 <i>Types of Transactions</i>	5
3.4.2 <i>Initiation of Transactions</i>	5
3.4.3 <i>Termination of Transactions</i>	5
3.4.4 <i>Association of Application Process Transactions</i>	5
3.4.5 <i>Correlation of Components</i>	5
3.5 GENERAL COMPONENT PROCEDURES	6
3.5.1 <i>Operation Succeeds</i>	6
3.5.2 <i>Operation Fails</i>	6
3.5.3 <i>Protocol Error at Component Level</i>	6
3.5.4 <i>Protocol Error at TCAP Message Level</i>	6
3.6 SERVICE PROCEDURES	6
4 LAYER SERVICE CHARACTERISTICS	7
4.1 LAYER SERVICES ASSUMED FROM THE SCCP.....	7
4.1.1 <i>Description</i>	7
4.1.2 <i>Primitives and Parameters</i>	7
4.2 PRIMITIVES AND LAYER SERVICES FOR ASP LAYERS	7
4.3 LAYER SERVICES PROVIDED TO THE APPLICATION PROCESS.....	8
5 STRUCTURE OF T1.114.....	8

TABLE OF FIGURES

FIGURE 1/T1.114.1 - TRANSACTION CAPABILITIES	9
FIGURE 2/T1.114.1 - IDENTIFYING LAYERS AND SERVICES WITH HEADERS.....	9
FIGURE 3/T1.114.1 - EXAMPLE STATE DIAGRAM	10
FIGURE 4/T1.114.1 - CONNECTIONLESS TRANSACTION PRIMITIVES	10

Functional Description of Transaction Capabilities

1 SCOPE, PURPOSE, AND APPLICATION

1.1 General

This chapter specifies Transaction Capabilities (TC) for Signalling System Number 7 (SS7). The term, *Transaction Capabilities* refers to the Application layer protocol, called Transaction Capabilities Application Part (TCAP), plus the supporting Presentation, Session, and Transport layers, called the Application Service Part (ASP). To date, only SS7 MTP plus SCCP transport has been considered.

NOTE - For MTP, see –T1.111-2001, *Signalling System Number 7 (SS7) - Message Transfer Part (MTP)*. For SCCP, see T1.112-2001, *Signalling System Number 7 (SS7) - Signalling Connection Control Part (SCCP)*.

Any standard OSI Network layer may be used in place of the MTP plus SCCP, provided that performance requirements of the services being supported by the higher layers can be met.

This chapter may contain requirements that reference other American National Standards. If so, when the American National Standards referenced in the requirements are superseded by revisions, the revisions shall apply.

1.2 Definition of Transaction Capabilities

Transaction Capabilities in the SS7 protocol are functions that control non-circuit-related information transfer between two or more signalling nodes via a signalling network.

1.3 Scope of Transaction Capabilities

Transaction Capabilities in a SS7 network should be considered for use between:

- (1) Exchanges;
- (2) Exchanges and network service centers -- e.g., databases, service control points, Operation, Administration, Maintenance and Provisioning (OAM&P) centers; and
- (3) Subscribers and network service centers (in conjunction with the subscriber access protocol -- e.g., CCITT Recommendation Q.931¹).

Although Transaction Capabilities in a SS7 network could be considered for use between subscribers, the standardization of subscriber-to-subscriber information content is outside the scope of SS7.

Furthermore, Transaction Capabilities in a SS7 network may interwork with a transaction-oriented information transfer originated in or destined for networks using other data communications protocols.

Transaction Capabilities provides a set of procedures that can be used for a variety of services, thereby avoiding the inefficiency of creating specific procedures tailored to a particular need. Thus, Transaction Capabilities provides a framework for a common approach to new services within a network as well as a framework for service architecture for cooperative internetwork services.

¹ T1.607 corresponds to CCITT Recommendation Q.931. All CCITT (now ITU-T) Recommendations are available from the International Telecommunications Union. < <http://www.itu.int/ITU-T/> >.