

Condition Assessment of Water Mains



American Water Works
Association

Condition Assessment of Water Mains



**American Water Works
Association**

Condition Assessment of Water Mains

Copyright © 2019 American Water Works Association

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including scanning, recording, or any information or retrieval system. Reproduction and commercial use of this material is prohibited, except with written permission from the publisher.

Disclaimer

The authors, contributors, editors, and publisher do not assume responsibility for the validity of the content or any consequences of their use. In no event will AWWA be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of information presented in this book. In particular, AWWA will not be responsible for any costs, including, but not limited to, those incurred as a result of lost revenue. In no event shall AWWA's liability exceed the amount paid for the purchase of this book.

If you find errors in this manual, please email books@awwa.org. Possible errata will be posted at www.awwa.org/resources-tools/resource-development-groups/manuals-program.aspx.

Managing Editor – Book Products: Melissa Valentine
Project Manager/Technical Editor: Suzanne Snyder
Cover Art: Michael Labruyere
Production: Innodata
Senior Specialist – Manuals: Willadee Hitchcock

Library of Congress Cataloging-in-Publication Data

Names: Ellison, Dan, author. | American Water Works Association, issuing body.

Title: Condition assessment of water mains / by Dan Ellison.

Other titles: AWWA manual ; M77.

Description: First edition. | Denver, CO : American Water Works Association, [2019] | Series: Manual of water supply practices ; M77 | Includes bibliographical references and index.

Identifiers: LCCN 2019001636 | ISBN 9781625763310 (alk. paper)

Subjects: LCSH: Water-pipes--Monitoring.


Classification: LCC TD491 .E42 2019 | DDC 628.1/5072--dc23

LC record available at <https://lcn.loc.gov/2019001636>

Printed in the United States of America

ISBN 978-1-62576-331-0

eISBN-13 978-1-61300-503-3



**American Water Works
Association**

American Water Works Association
6666 West Quincy Avenue
Denver, CO 80235-3098
awwa.org

Contents

List of Figures, vii

List of Tables, xi

Preface, xiii

Acknowledgments, xv

Chapter 1	The Benefits of Condition Assessment for Water Mains.	1
	Definition of Condition Assessment, 2	
	The Benefits and Costs of Condition Assessment, 3	
	Condition Assessment as Part of an Assess-and-Fix Strategy, 6	
	Additional Considerations When Using Condition Assessment, 7	
	References, 8	
Chapter 2	Building Support for a Condition Assessment Program.	9
	Making a Business Case for Condition Assessment, 9	
	Accounting Treatment: Ways to Account for Condition Assessment Costs, 12	
	Budgeting for a Systematic Condition Assessment Program, 13	
	Gaining Support From Policy Makers, The Public, and Other Stakeholders, 14	
	Summary, 16	
	References, 16	
Chapter 3	Planning a Condition Assessment Project or Program	19
	Levels of Condition Assessment, 19	
	Choosing an Assessment Method, 21	
	Available Technologies, 23	
	Planning of Field Work/Communications, 27	
	Contract Guidelines, 29	
	Summary, 30	
	Reference, 30	
Chapter 4	Desktop Condition Assessment.	31
	Overview, 32	
	Data Cleanup and Assessment, 32	
	Setting Level of Service Goals, 36	
	Evaluating the Likelihood of Failure Desktop Score, 37	
	Long-Term Renewal Planning, 43	
Chapter 5	External Corrosion Surveys.	47
	External Corrosion Direct Assessment, 47	
	Economic Benefits, 55	
	References, 55	

Chapter 6	Spot Assessment	57
	Strategies for Effective Spot Assessment, 58	
	Testing Procedures, 60	
	Post Assessment and Interpretation of Results, 73	
	References, 75	
Chapter 7	Leak Detection	77
	Why Leak Data Are Important for Condition Assessment, 78	
	How and When to Perform Leak Detection, 79	
	Acoustic Leak Detection, 79	
	Non-acoustic Leak Detection, 91	
	Summary, 96	
	References, 96	
Chapter 8	Internal Remote Visual Inspection	97
	Internal Visual Inspection as a Condition Assessment Tool, 98	
	Recent Advances in Remote Visual Inspection Technology, 99	
	Logistical Considerations for Performing Remote Internal Visual Inspection, 100	
	Current Methods and Technologies Available for Internal Visual Inspection, 101	
	Implementation Strategies for Internal Remote Visual Inspection, 110	
	Summary, 112	
Chapter 9	Physical Entry Inspections	115
	Overview: Physical Entry Inspections, 116	
	Summary, 124	
	References, 124	
Chapter 10	Acoustic Velocity Testing	125
	History, 126	
	Background, 127	
	Performance, 130	
	Requirements and Limitations, 132	
	References, 133	
Chapter 11	Electromagnetic Testing Technologies	135
	History and Current Use of EM Testing in Water Mains, 136	
	Technology Overview, 140	
	Defect Resolution Considerations, 146	
	Advantages and Limitations, 146	
	References, 147	
Chapter 12	Magnetic Flux Leakage	149
	Current State of the Art, 150	
	MFL Application Considerations and Inspection Logistics, 150	
	Data Output and Post Processing, 157	
	Planning and Delivering a Quality MFL Project, 160	
	Reference, 162	
Chapter 13	Condition Assessment of PCCP	163
	PCCP Construction, 163	
	PCCP Deterioration And Failure Modes, 165	
	Inspection and Assessment, 166	

Strategies for Managing Distressed PCCP, 178
References, 182

Chapter 14 Hydrostatic (Pressure) Testing of Existing Pipes185
 The Basics, 186
 Hydrostatic Examination, 187
 Procedure Development, 188
 Pressure Limits, 190
 After the Initial Tests, 191
 References, 191

Chapter 15 Strategies for Economical Assessments of Low-Value Pipes193
 Nondisruptive Sampling Methods, 194
 Nondisruptive Screening Techniques, 195
 Leveraging Condition Assessment Data, 196
 The Assess-and-Fix Approach, 197
 Forensic Analysis of Breaks, 198
 Reference, 200

Chapter 16 The Next Steps: Using Condition Assessment Information.....201
 Purpose of Condition Assessment Information, 201
 Leveraging Data, 202
 Data Analysis, 203
 Presentation of Results, 203
 Example Approaches, 204
 References, 206

Appendix A Other Assessment Methods207
 Acoustic Resonance Testing, 207
 Pipe Wall Analysis Using Magnetometry, 207

Index209

List of AWWA Manuals215

Figures

- 2-1 Aerial view of Anchorage, Alaska, railroad yard, 11
- 2-2 Progressive condition assessment and resulting actions, 14
- 3-1 The tradeoffs between costs, coverage, and degree of inspection, 20
- 4-1 Decision tree process for GIS CoF scoring, 40
- 4-2 Risk matrix, 41
- 4-3 Example of color-coded risk mapping, 42
- 4-4 Example decay curve based on two known points, 43
- 4-5 Example of optimizing pipe EUL by considering CoF scores, 44
- 4-6 Example of using GIS to predict funding needs based on service levels, 45
- 5-1 Graphical representation of soil resistivity fluctuations along a pipeline alignment as measured using Emag and comparison to Wenner 4-pin results, 50
- 5-2 Graphical representation of cell-to-cell, close-interval survey results along pipeline alignment, 52
- 5-3 Depth of cover, soil resistivity, and close interval potential survey indirect inspection data aligned along pipeline rights-of-way, 54
- 6-1 Measuring the depth of corrosion pits in cast-iron pipe, 62
- 6-2 In situ pH testing of concrete pipe using phenolphthalein, 62
- 6-3 Ultrasonic thickness measurement, 64
- 6-4 Potential mapping, 65
- 6-5 In situ electrochemical testing, 66
- 6-6 Sampling slime for MIC testing, 67
- 6-7 Identifying corrosion products using SEM/EDS, 69
- 6-8 Optical microscopic pitted surface (top); pit depth profiling (bottom), 70
- 6-9 Comparative metallographic analysis of heat-treated (welded) zones, 71
- 6-10 Petrographic analysis of concrete, illustrating cracks, 71
- 6-11 ASTM B117 test on heat-treated areas of stainless steel (1000 h of testing in salt chamber), 72
- 6-12 Phenolphthalein stain testing of asbestos cement pipe, 73
- 7-1 Leak detection techniques covered in this chapter, 80
- 7-2 A leak detection monitor installed in a below-ground chamber, 84
- 7-3 A leak detection sensor connected to a service line at the meter , 85
- 7-4 A leak detection node contained in a hydrant cap, 85
- 7-5 A typical communications network, 85
- 7-6 Typical node layout on a transmission main (top) and a node installation in an above-ground pedestal (bottom), 87

- 7-7 Tethered leak detection tool, 89
- 7-8 Free-swimming leak detection device, 90
- 7-9 Gas tracer leak detection method, 91
- 7-10 Basic diagram of low-voltage conductivity circuitry, 94
- 7-11 Steps in data capture, analysis, and display with satellite-based leak detection, 95

- 8-1 Images from a CCTV inspection of a 21-in. steel water main, with close-up of an exposed joint (right), 98
- 8-2 Example of a side scan camera deliverable, 99
- 8-3 Digital video and hydrophone sensor head (left); field deployment of tethered sensor head into live transmission main (right), 100
- 8-4 Laser scan with better than 2-mm accuracy exported to AutoCAD for manipulation and analysis for areas of concern (i.e., 1, 2, and 3), 103
- 8-5 Examples of crawling ROVs with CCTV cameras, 103
- 8-6 Image from a high-definition camera with zoom capability on crawling ROV, 104
- 8-7 Image from a high-definition camera on crawling ROV in dry conditions, 104
- 8-8 Tethered CCTV insertion setup (top left), tethered CCTV setup through a fire hydrant (top right), and operation of a long-range system with parachute to propel the sensor with flow (bottom), 106
- 8-9 Real-time, forward-looking sonar data showing a grate in a flooded pipe, 107
- 8-10 Typical cross-sectional view of profiling sonar data, 107
- 8-11 Flooded tunnel visualization using multiple multibeam sonars, 108
- 8-12 Advantages of combining profiling and forward-looking sonar sensors, 109
- 8-13 Sample output from an underwater laser scan of a horseshoe-shaped conduit, 110
- 8-14 A laser scan of a dewatered conduit using a stationary laser platform, 110

- 9-1 Demonstration of physical entry in various pipe diameters, 117
- 9-2 Electronic data collection during physical entry inspection, 122

- 10-1 AV testing history and progression timeline, 126
- 10-2 Validation database, 127
- 10-3 Typical setup for an acoustic velocity measurement, 128
- 10-4 In-pipe acoustic velocity system, 130

- 11-1 Example of a free-swimming tool, 137
- 11-2 Example of a high-resolution, large-diameter tool, 137
- 11-3 Example of a self-propelled crawler, 138
- 11-4 Example of a handheld tool, 138
- 11-5 Example of a manually winched tool, 139
- 11-6 Example of a hydrant-launched, water-propelled tool, 139
- 11-7 Simple probe for remote field testing, 140

- 12-1 MFL field in unlined pipe, 151
- 12-2 MFL field in lined pipe, 152
- 12-3 B-H curve, 152
- 12-4 Typical MFL ILI tool in CML pipeline, 154

- 12-5 Test data in ½-in. pipe with ½-in. mortar lining, 155
- 12-6 Isolated pipeline defects, 156
- 12-7 MFL data from severely corroded pipeline and removed pipe showing corroded area, 156
- 12-8 MFL view of circumferential corrosion and exposed pipe showing circumferential corrosion, 157
- 12-9 Color contour C-scan of blind test defects, 158
- 12-10 Graphical depiction of pipeline defect anomaly definitions, 159

- 13-1 Pre-stressed concrete cylinder pipe, 164
- 13-2 Break rates for PCCP manufactured in different eras, 167
- 13-3 Typical tools and equipment used in visual and sounding inspections, 168
- 13-4 Example of longitudinal crack surrounded by hollow, 169
- 13-5 Electrical currents induced by time-varying magnetic field, 171
- 13-6 Technician pushing an electromagnetic inspection cart through a PCCP, 172
- 13-7 Tethered and untethered robotics platforms equipped with electromagnetic inspection technology, 172
- 13-8 Example of pipe excavation for external electromagnetic inspection, 174
- 13-9 Illustration of sonic/ultrasonic testing of PCCP, 176
- 13-10 Fiber optic cable anchored to pipe in dry deployment (left) and deployed into in-service pipeline in wet deployment (right), 178

- 14-1 Catastrophic break due to bad weld at intersection between 30-in. and 36-in. pipes, 187
- 14-2 Pressure testing for LADWP, 189

- 15-1 Electromagnetic scanning of pipe within keyhole excavation, 198
- 15-2 Keyhole excavation with pavement repair, 195
- 15-3 Acoustic velocity testing on a Los Angeles trunk line, 196
- 15-4 Inserting an RFT tool into the hydrant lateral of a shallow-buried main, 197
- 15-5 Photo showing insertion of the RFT tool during assess-and-fix demonstration in Phoenix, 199
- 15-6 Fracture analysis of a PVC pipe break, 199

- 16-1 Condition assessment data displayed in Google Earth, 204
- 16-2 Summary table, 205

- A-1 Pipe wall analysis using magnetometry, 208

Tables

- 1-1 Typical condition assessment project items, 5
- 1-2 Simple cost-benefit analysis for condition assessment of a 10-mile, large-diameter pipeline over 10 years, 6
- 1-3 Simple cost-benefit analysis for condition assessment of a cast iron pipeline over 10 years, 6

- 3-1 Available inspection technologies for pressure pipe, 24

- 4-1 2018 AWWA Benchmarking Survey Distribution System Integrity results (combined leaks and breaks/100 mi/y), 36
- 4-2 Example criteria and weightings for LoF scoring, 38
- 4-3 Example criteria and weightings for CoF scoring, 39
- 4-4 Example criteria for GIS-based CoF scoring, 40

- 6-1 Common in situ field and laboratory tests for spot assessment, 60

- 7-1 Parameters for sounding equipment, 81
- 7-2 Parameters for listeners, 81
- 7-3 Comparison of leak detection correlators, 82
- 7-4 Parameters for correlators, 82
- 7-5 Parameters for leak loggers, 83
- 7-6 Parameters for remote correlating leak detection systems: distribution systems, 86
- 7-7 Parameters for remote leak detection systems: transmission mains, 87
- 7-8 Parameters for tethered devices, 89
- 7-9 Parameters for free-swimming devices, 91
- 7-10 Parameters for gas tracer method, 92
- 7-11 Parameters for ground-penetrating radar, 93
- 7-12 Parameters for thermography, 93
- 7-13 Parameters for low-voltage conductivity testing, 95
- 7-14 Parameters for satellite-based leak detection, 96

- 8-1 Inspection platform/method options, 102
- 8-2 Operating parameters for tethered CCTV inspection, 105
- 8-3 Relative costs of internal inspection methods and technologies, 112

- 9-1 Complementary testing techniques performed during physical entry inspection, 123

- 11-1 Available tools using electromagnetic technology, 141
- 12-1 Definitions of pipeline anomalies, 158
- 12-2 Estimated performance specifications, 160
- 14-1 Dispersion scenario and appropriate testing method, 188
- 14-2 Test pressure limits, 190

Preface



Water main condition assessment currently ranks among the most important subjects to water utilities, and interest in this subject is rapidly growing. As the average age of their infrastructures increases, utilities are increasingly challenged to maintain levels of service while keeping water affordable to all. Condition assessment helps utilities meet this challenge by identifying more precisely where money is best spent, leaving in place pipelines that have adequate integrity and preventing the unnecessary failures of others.

The assessment of buried pipelines is never simple, and water mains are particularly challenging. They are difficult to access, and concerns exist regarding water contamination and the need to maintain water service for sanitation, commerce, and fire protection. Because water main condition assessment is relatively new, there's a scarcity of authoritative, peer-reviewed material to guide utilities. Instead, utilities often are left to rely on the claims of inspection companies, some of which are not well established. This manual fills an important need, providing a comprehensive overview of the many methods that can be used to assess water mains.

Methods range from desktop studies to leak detection to full-length, high-resolution scans from inside the pipes. The choice of method and the interpretation of results are both art and science, with decisions based on economics and risk tolerance. This manual provides the technical information utility managers and engineers need to make informed decisions, along with practical information about how methods can be deployed.

For assessment of most pressure pipelines, a multistep approach is recommended. By starting with simpler, less-expensive examinations, then progressing if necessary to more expensive techniques, resources can be leveraged. Assessment is meant to answer questions about questionable pipes, where a decision is needed that affects service or cost. Assessment is usually less useful when applied to pipes that are known to be in very good or very poor condition. Pipes may be distribution or transmission mains, where the consequences of a break range from mundane to intolerable. In either case, with condition assessment, decisions can be made more confidently and the likelihood of a poor decision reduced. Risks are better managed.

This manual is largely organized around the various inspection methods, with chapters also devoted to program management. The physical inspection techniques focus on detecting degraded materials—corroded metal in particular. Readers should keep in mind that other causes of main failure, including ground movement (pipe bending), pressure surges, casting defects, poorly made welds, and other joint problems may be difficult (if not impossible) to detect in advance of failure.

It is important to understand the limitations of the various inspection methods: what sizes and types of defects might be missed; whether the method has been verified by independent, third-party verifications (dig-ups); and where blind spots exist. Several methods, for instance, have difficulty finding defects near pipe joints. Irregularities such as riveted seams or heavy scales may produce “noisy” data. No method is perfect, and no inspection method finds all possible defects. The methods and techniques included in this manual have been reviewed by the Water Main Condition Assessment Committee and found to be worthy of consideration, but not all have been proven through years of use and *independent* testing. Inclusion in this manual does not imply AWWA or committee endorsement of any particular method or the companies that provide it. Utilities are encouraged to start with the information presented in this manual, consult other publications, seek referrals, and ask hard questions before investing.

The applicability of these methods varies depending on pipe material. Some methods apply to all types of pipe, while others apply more narrowly to metal or reinforced concrete pipes. The focus is also on water mains (large and small). It is usually not economical to assess small service laterals with these methods. Chapter 3 provides guidance regarding which methods can be used for which types of pipe and also regarding selecting and procuring services. This manual focuses on methods that are commercially available in North America, and because the field is rapidly evolving, other methods are expected to be introduced in the next few years. A few of these are listed in Appendix A.

Unlike the other chapters in this manual, Chapter 13 addresses one specific material: prestressed concrete cylinder pipe (PCCP). PCCP has been particularly problematic due to its propensity to fail without warning and in a catastrophic manner. As a result, much attention has been paid to the assessment of PCCP, and many tools and techniques specific to this type of pipe have been developed. Some of these tools are now being applied to other types of material, particularly bar-wrapped steel cylinder concrete pipe.

Through the publication of this manual, AWWA hopes to provide practical information that water utilities will use to better manage their systems. AWWA also seeks your feedback regarding this manual and other ways to advance this important discipline. This marks the start of a continuous, dedicated effort to collect and disseminate reliable information on water main condition assessment. Your participation in this process is welcomed and encouraged.

—Water Main Condition Assessment Committee
Dan Ellison, PE – Chair