

RTCA, Inc.
1150 18th St. NW, Suite 910
Washington, D.C. 20036, U.S.A.

**Audio Systems Characteristics and Minimum
Operational Performance Standards for Aircraft
Audio Systems and Equipment**

RTCA DO-214A
Supersedes DO-214
December 18, 2013

Prepared by: SC-226
©2013 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.
1150 18th St. NW, Suite 910
Washington, D.C. 20036, USA

Telephone: 202-833-9339

Facsimile: 202-833-9434

Internet: www.rtca.org

Please call RTCA for price and ordering information

FOREWORD

This report was prepared by Special Committee 226 (SC-226) and approved by the RTCA Program Management Committee (PMC) on December 18, 2013.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal advisory committee and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include, but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The recommendations of RTCA are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders and several advisory circulars.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U. S. Government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This Page Intentionally Left Blank

EXECUTIVE SUMMARY

RTCA/DO-214 was originally prepared by RTCA Special Committee 164 (SC-164). It was approved by the RTCA Program Management Committee on March 2, 1993 and supersedes RTCA/DO-170, Audio System Characteristics and Minimum Performance Standards, Aircraft Microphones (Except Carbon), Aircraft Headsets and Speakers, Aircraft Audio Selector Panels and Amplifiers. RTCA/DO-214A was prepared by RTCA Special Committee 226 (SC-226). It was approved by the RTCA Program Management Committee on December 18, 2013 and supersedes RTCA/DO-214.

The purpose of this revision is to add a number of important improvements. This revision includes requirements covering technology advances, harmonization of DO-214 with other revised standards, addresses industry and FAA feedback for improvements and from advancements in audio, acoustic and communications sciences and methodologies that have developed since the original release of DO-214. DO-214A is not intended to cover all aspects of the rapidly advancing field of digital audio technology. The scope of digital audio science is much wider and more comprehensive than can be covered in this revision. Examples of changes that have been made are: Active Noise Reduction (ANR) technology has advanced significantly since the original release of DO-214 so ANR requirements have been added to DO-214A. EUROCAE Document ED-112 is now being widely used for Cockpit Voice Recorders (CVR) and CVR Microphones so CVR microphones have been removed from DO-214A. Oxygen Mask Microphones have been added, along with Speakers with Active Circuitry, different types of Handsets and Push-To-Talk switches that are available on the market, as well as some changes covering advancements in digital audio technology. DO-214A has also been harmonized with DO-160G, DO-178C, DO-254 and new industry standards ARINC535B and ARINC538C.

This Page Intentionally Left Blank

TABLE OF CONTENTS

1.0	PURPOSE AND SCOPE	1
1.1	Introduction.....	1
1.2	Background.....	2
1.2.1	Noise	2
1.2.1.1	Ambient Noise	2
1.2.1.2	Circuit Noise.....	3
1.2.2	Communicator Practices	4
1.2.3	Audio Response.....	4
1.2.4	Articulation Index	5
1.2.4.1	Rapid Speech Transmission Index.....	5
1.2.4.2	Speech Transmission Index for Public Address Systems	6
1.2.5	Absolute (Envelope) Delay	6
1.2.6	Differential Delay.....	8
1.2.7	Overdrive.....	9
1.2.8	Intermodulation Distortion.....	9
1.2.9	Push-to-Talk (PTT) Absolute (Envelope) Delay.....	9
1.3	System Overview	10
1.3.1	Control of Microphone Input and Output Signals.....	10
1.3.1.1	Speech Level Improvement Measures	10
1.3.1.2	Noise Reduction Measures	11
1.3.1.3	Low Frequency De-emphasis	12
1.3.1.4	Automatic Gain Control.....	12
1.3.2	Microphones.....	12
1.3.2.1	Deleted.....	12
1.3.2.2	Shielding Considerations	12
1.3.3	Control of Received Audio Signals.....	13
1.3.3.1	Output Level Controls.....	13
1.3.3.2	Headsets.....	13
1.3.3.3	Loudspeakers	14
1.3.4	Analysis of Problems and Possible Improvement Measures.....	15

1.3.5	Long-Term Improvements	16
1.3.5.1	Ambient Noise - Aircraft	16
1.3.5.2	Ambient Noise -Ground Stations.....	16
1.3.5.3	Control of Communicator Practices.....	17
1.3.5.4	Hearing Damage Risk and Headset Attenuation.....	17
1.4	System Characteristics -General	20
1.4.1	Automatic Gain Control and Compression	20
1.4.2	Sidetone Level Control.....	21
1.4.3	Transmission Bandwidth.....	22
1.4.4	Reduction of Distortion.....	23
1.4.5	Cockpit Voice Recorder HOT Microphone	24
1.4.6	Audibility of Aural Alerts and Noise Attenuating Headsets	25
1.4.7	Oxygen Mask Microphones	27
1.5	Audio Systems Interface Goals.....	28
1.5.1	General Notes.....	28
1.5.2	Microphone Input Circuits	30
1.5.3	Microphone Emulation Output.....	31
1.5.4	PA, Receiver, and Interphone Outputs to Audio System	31
1.5.5	Interphone, Headset and Handset Amplifier Outputs from Audio System	32
1.5.6	Audio Selector Panel and Audio Control Panel/Audio Management Unit Input.....	34
1.5.7	CVR Output from Audio System	34
1.5.8	Crosstalk of Audio System.....	34
1.5.9	Speaker Output from Audio System	34
1.6	Assumptions.....	34
1.7	Software and Complex Electronic Hardware Considerations.....	35
1.8	Test Procedures	35
1.9	Definitions of Terms	37
2.0	EQUIPMENT PERFORMANCE REQUIREMENTS AND TEST PROCEDURES	45
2.1	General Requirements.....	45
2.1.1	Airworthiness	45
2.1.2	Intended Function.....	45
2.1.3	Federal Communications Commission Rules	45

2.1.4	Fire Protection	45
2.1.5	Operation of Controls	45
2.1.6	Accessibility of Controls	45
2.1.7	Effects of Test	46
2.1.8	Applicability of Tests to Equipment	46
2.1.9	Test Equipment	46
2.2	Performance Requirements -Aircraft Microphones (Except for Carbon)	47
2.2.1	Frequency Response.....	47
2.2.1.1	Microphones (Except Oxygen Mask)	47
2.2.1.2	Deleted	48
2.2.1.3	Oxygen Mask Microphones	48
2.2.2	Distortion.....	49
2.2.2.1	Microphones (Except Handset Microphones and Oxygen Mask Microphones).....	49
2.2.2.2	Deleted	50
2.2.2.3	Handset Microphone.....	50
2.2.2.4	Oxygen Mask Microphones	50
2.2.3	Sensitivity.....	50
2.2.3.1	Microphones (Except Handset Microphones and Oxygen Mask Microphones).....	50
2.2.3.2	Handset Microphones	50
2.2.3.3	Oxygen Mask Microphones	51
2.2.4	Noise Level	51
2.2.5	Deleted	51
2.2.6	Deleted	51
2.2.7	Insulation Resistance.....	51
2.2.8	Microphone Cord	51
2.2.8.1	Cord Flexibility.....	52
2.2.8.2	Cord/Connector Flexibility	52
2.2.8.3	Cord/Connector Pull-Out	52
2.2.9	Push-to-Talk Switch.....	52
2.2.10	Microphone Drop Resistance	53
2.2.11	Headset/Handset Isolation.....	53
2.2.12	Absolute Delay.....	53
2.2.13	Listening Test.....	53

2.3	Performance Requirements Aircraft Headsets, Handsets and Loudspeakers.....	53
2.3.1	Frequency Response.....	54
2.3.1.1	Headsets and Handsets.....	54
2.3.1.2	Loudspeakers	54
2.3.2	Distortion.....	54
2.3.2.1	Headsets and Handsets.....	54
2.3.2.2	Loudspeakers	54
2.3.3	Sensitivity.....	54
2.3.3.1	Headsets.....	54
2.3.3.2	Loudspeakers	55
2.3.4	Impedance	55
2.3.4.1	Headsets and Handsets.....	55
2.3.4.2	Loudspeakers	56
2.3.5	Overload.....	56
2.3.5.1	Headsets and Handsets.....	56
2.3.5.2	Loudspeakers	56
2.3.6	Power Handling Rating (Loudspeakers)	56
2.3.7	Insulation Resistance.....	56
2.3.8	Headset and Handset Cord	56
2.3.8.1	Evidence of Damage	56
2.3.8.2	Cord Flexibility.....	57
2.3.8.3	Cord/Connector Flexibility	57
2.3.8.4	Cord/Connector Pull-Out	57
2.3.9	Headset or Handset Drop Resistance	57
2.3.10	Acoustic Quality.....	57
2.3.11	Speaker Polarity	57
2.3.12	Headsets with Active Noise Reduction.....	57
2.3.13	Headset Attenuation Performance.....	58
2.3.14	ANR Stability.....	58
2.3.15	Absolute Delay.....	59
2.3.16	Audio Noise Without Signal	59
2.3.17	Listening Test.....	59
2.4	Performance Requirements - Audio System.....	60

2.4.1	Rated Output Power	60
2.4.2	Audio Frequency Characteristics	60
2.4.2.1	Audio Frequency Response	60
2.4.2.2	Spurious Responses	60
2.4.3	Distortion Characteristics	60
2.4.4	Impedance Characteristics.....	61
2.4.4.1	Input Impedance	61
2.4.4.2	Output Impedance.....	61
2.4.5	Volume Controls	61
2.4.6	Output Regulation	61
2.4.7	Coupling Between Audio Circuits -Crosstalk.....	62
2.4.7.1	Input to Output Crosstalk and Bleed-Through Levels.....	62
2.4.7.2	Input-to-Input Crosstalk Level.....	62
2.4.7.3	Station-to-Station Crosstalk Level.....	62
2.4.7.4	Input-to-Microphone Output Crosstalk.....	62
2.4.8	Compression.....	62
2.4.9	Stability and Short Circuit.....	63
2.4.10	Intermodulation Distortion.....	63
2.4.11	Audio Noise Level	63
2.4.11.1	Audio Noise Without Signal.....	63
2.4.11.2	Signal Plus Noise Degradation	63
2.4.12	System Polarity (non-delay phase inversion).....	63
2.4.13	Delays.....	63
2.4.13.2	Differential Delay	64
2.4.13.3	Push-to-Talk (PTT) Delay	65
2.4.14	Overdrive.....	65
2.4.14.1	Input Overdrive.....	65
2.4.14.2	Output Overdrive	65
2.4.14.3	Transient Recovery	65
2.4.15	Listening Test.....	65
2.5	Equipment Performance - Environmental Conditions	66
2.5.1	Temperature and Altitude Tests.....	66

2.5.1.1	Short Time Operating Low, Ground Survival Low-Temperature Test and Operating Low-Temperature Test.....	67
2.5.1.2	Ground Survival High-Temperature Test and Short-Time Operating High-Temperature Test	68
2.5.1.3	Operating High-temperature Test	70
2.5.1.4	Altitude Tests	72
2.5.1.5	Decompression Test (When Required)	73
2.5.1.6	Overpressure Test (When Required)	74
2.5.2	Temperature Variation Test	75
2.5.3	Humidity Test.....	76
2.5.4	Shock Tests	77
2.5.4.1	Operational Shocks	77
2.5.4.2	Crash Safety Shocks	78
2.5.5	Vibration Tests	78
2.5.6	Magnetic Effect Test	80
2.5.7	Power Input Tests.....	80
2.5.7.1	Normal Operating Conditions	80
2.5.7.2	Abnormal Operating Conditions.....	82
2.5.8	Voltage Spike Conducted Test.....	83
2.5.8.1	Deleted	84
2.5.8.2	Deleted	84
2.5.8.3	Deleted	84
2.5.9	Audio Frequency Conducted Susceptibility Test.....	85
2.5.10	Induced Signal Susceptibility Test.....	85
2.5.11	Radio Frequency Susceptibility Test (Radiated and Conducted).....	87
2.5.11.1	Steady State RF Interference Test:	88
2.5.11.2	Momentary RF Interference Test:.....	90
2.5.12	Emission of Radio Frequency Energy Test.....	91
2.5.13	Lightning Induced Transient Susceptibility Test	92
2.5.14	Final Distortion Test.....	93
2.5.15	Push-to-Talk Switch Life	93
2.5.16	Electrostatic Discharge (ESD) Test.....	94
2.6	Test Procedures - Aircraft Microphones	95
2.6.1	Conditions of Test	95

2.6.2	Detailed Test Procedures.....	95
2.6.2.1	Near Field Sensitivity and Frequency Response - Microphones	96
2.6.2.2	Deleted	98
2.6.2.3	Distortion Measurement - Microphones	98
2.6.2.4	Deleted	99
2.6.2.5	Noise Level	99
2.6.2.5.1	Variation of Excitation Voltage.....	99
2.6.2.5.2	Audio Noise without Signal	99
2.6.2.6	Deleted	99
2.6.2.7	Cord/Connector Flexibility Test	99
2.6.2.8	Cord/Connector Pull-Out	100
2.6.2.9	Push-to-Talk Switch Life.....	100
2.6.2.10	Isolation - Headsets and Handsets	100
2.6.2.11	Absolute Delay	101
2.6.2.12	Microphone Functional Test:.....	101
2.6.2.13	Listening Test	101
2.7	Test Procedures -Aircraft Headsets, Handsets and Loudspeakers	102
2.7.1	Conditions of Test	102
2.7.2	Detailed Test Procedures.....	103
2.7.2.1	Sensitivity, Frequency Response and Distortion-Headsets and Handsets	103
2.7.2.2	Sensitivity, Frequency Response and Distortion - Loudspeakers	109
2.7.2.3	Acoustic Quality	109
2.7.2.4	Absolute Delay	110
2.7.3	Headset Attenuation Measurement	110
2.7.3.1	Trained Subject Acoustic Performance Test.....	110
2.7.3.2	Passive and Active Attenuation Functional Test	110
2.7.3.3	ANR Headset Operation and Stability	111
2.7.3.4	Absolute Delay	112
2.7.3.5	Audio Noise Without Signal	112
2.7.3.6	Listening Test.....	113
2.8	Test Procedures -Audio System.....	115
2.8.1	Conditions of Test	115
2.8.2	Detailed Test Procedures.....	115

2.8.2.1	Rated Output Power.....	116
2.8.2.2	Audio Frequency Characteristics	116
2.8.2.2.1	Audio Frequency Response	117
2.8.2.2.2	Spurious Responses	117
2.8.2.3	Distortion Characteristics.....	118
2.8.2.4	Impedance Characteristics	118
2.8.2.4.1	Input Impedance	118
2.8.2.4.2	Output Impedance	119
2.8.2.5	Volume Controls.....	120
2.8.2.6	Output Regulation.....	121
2.8.2.7	Crosstalk	121
2.8.2.7.1	Input-to-Output Crosstalk and Bleed-Through Levels	122
2.8.2.7.2	Input to Input Crosstalk.....	123
2.8.2.7.3	Station-to-Station Crosstalk.....	123
2.8.2.7.4	Input-to-Microphone Output Crosstalk	123
2.8.2.8	Amplifiers with Compression	124
2.8.2.9	Stability and Short Circuit	124
2.8.2.10	Intermodulation Distortion.....	125
2.8.2.11	Noise	125
2.8.2.11.1	Audio Noise Without Signal.....	125
2.8.2.11.2	Signal Plus Noise Degradation	125
2.8.2.12	System Polarity	126
2.8.2.13	Delays	126
2.8.2.13.1	Absolute Delay	126
2.8.2.13.2	Differential Delay	127
2.8.2.13.3	Push-to-Talk (PTT) Delay	127
2.8.2.14	Overdrive	127
2.8.2.14.1	Input Overdrive.....	128
2.8.2.14.2	Output Overdrive.....	128
2.8.2.14.3	Transient Recovery.....	128
2.8.2.15	Listening Test	128

3.0	INSTALLED EQUIPMENT PERFORMANCE	129
3.1	Equipment Installation	129
3.1.1	Accessibility	129
3.1.2	Aircraft Environment	129
3.1.3	Display Visibility	129
3.1.4	Dynamic Response	129
3.1.5	Failure Protection	129
3.1.6	Interference Effects	130
3.1.7	Inadvertent Turnoff	130
3.1.8	Aircraft Power Source	130
3.2	Installed Equipment Performance Requirements	130
3.3	Conditions of Test	130
3.3.1	Power Input	130
3.3.2	Associated Equipment or Systems	131
3.3.3	Environment	131
3.3.4	Adjustment of Equipment	131
3.3.5	Warm-up Period	131
3.4	Test Procedures for Installed Equipment Performance	131
3.4.1	Ground Test Procedures	131
3.4.1.1	Conformity Inspection	131
3.4.1.2	Equipment Function	132
3.4.1.3	Interference Effects	132
3.4.1.4	Power Supply Fluctuations	132
3.4.2	Aircraft System Communications Testing	132
3.4.2.1	Spurious Output Signals	132
3.4.2.2	Spurious Input Signals	133
3.4.2.3	Radio Generated Response	133
3.4.2.3.1	Radio Output Spurious Levels	133
4.0	EQUIPMENT OPERATIONAL PERFORMANCE CHARACTERISTICS	135
4.1	Required Operational Performance Requirements	135
4.1.1	Power Input	135

4.1.2	Equipment Operating Modes	135
4.2	Test Procedures for Operational Performance Requirements	135
4.2.1	Power Input	135
4.2.2	Equipment Operating Modes	135
4.2.3	Noise-Attenuating Headsets	135
4.2.4	Self-Test	136
5.0	MEMBERSHIP.....	137
APPENDIX A.....		1
APPENDIX B.....		1
APPENDIX C.....		1
APPENDIX D.....		1
APPENDIX E.....		1
APPENDIX F.....		1
APPENDIX G.....		1
APPENDIX H.....		1

1.0 PURPOSE AND SCOPE

1.1 Introduction

This document contains audio systems characteristics and minimum operational performance standards for aircraft headset microphones, handset microphones (Except carbon), oxygen mask microphones, headsets, handsets, speakers, audio selector panels (ASP) and amplifiers. These standards specify system characteristics that should be useful to designers, manufacturers, installers and users of the equipment.

Compliance with these standards is recommended as one means of assuring that the equipment will perform its intended function(s) satisfactorily under all conditions normally encountered in routine aeronautical operations. Any regulatory application of this document is the sole responsibility of appropriate governmental agencies.

Section 1.0 of this document provides information needed to understand the rationale for equipment characteristics and requirements stated in the remaining sections. It describes typical equipment applications and operational goals and establishes the basis for standards stated in Section 2.0 through 4.0. Definitions and assumptions essential to the proper understanding of this document are also provided in this section.

Section 2.0 contains the minimum performance standards for the equipment. These standards specify the required performance under standard, operational, and environmental conditions. Also included are recommended bench test procedures necessary to demonstrate equipment compliance with the stated minimum requirements.

Section 3.0 describes the performance required of the installed equipment. Tests for the installed equipment are included when performance cannot be adequately determined through bench testing.

Section 4.0 describes the operational performance characteristics for equipment installations and defines conditions that will assure the equipment user that operations can be conducted safely and reliably in the expected operational environment.

The word "equipment" as used in this document includes all components or units necessary to properly perform the intended function(s). Since the measured values of equipment performance may be a function of the measurement method, standard test conditions and methods of test are recommended.

Consideration was given to the overall system characteristics that affect the intelligibility of air-ground speech communication. This included, to the extent feasible, review and evaluation of all design measures giving promise of audio response improvement. Although consideration was specifically applied to equipment design characteristics, it became evident that environmental conditions and practices of communicators create not only a need for improvements in the system, but seriously limit improvements attainable by design changes alone. Other limitations are imposed by regulatory agencies and international agreements. In view of this, it was considered important, in the interest of aviation, to emphasize these related