

RTCA, Inc.
1150 18th Street NW, Suite 910
Washington, DC 20036
USA

**Minimum Aviation System
Performance Standards (MASPS) for an
Enhanced Flight Vision System to Enable
All-Weather Approach, Landing, and Roll-Out to
a Safe Taxi Speed**

RTCA DO-341
September 26, 2012

Prepared by: SC-213
©2012 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-833-9339

Facsimile: 202-833-9434

Internet: www.rtca.org

Please visit the RTCA Online Store for document pricing and ordering information.

FOREWORD

This report was prepared by Special Committee 213(SC-213) and approved by the RTCA Program Management Committee on September 26, 2012.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal advisory committee, and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders and several advisory circulars.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This Page Intentionally Left Blank

TABLE OF CONTENTS

1	PURPOSE AND SCOPE	1
1.1	Introduction	1
1.1.1	EFVS Introduction	2
1.2	Synthetic Vision System/Combined Vision Systems	3
1.2.1	SVS/CVS Overview	3
1.3	Enhanced Flight Vision System	4
1.3.1	EFVS Overview	4
1.3.2	Context - Instrument Approach Visual Reference Requirements.....	6
1.3.3	Context - Instrument Operations with EFVS.....	10
1.4	Intended Function	14
1.4.1	EFVS Intended Function	14
1.5	Assumptions	14
1.5.1	EFVS Assumptions.....	14
1.6	Verification	14
1.6.1	Procedures.....	14
1.7	Reference Documents	15
2	SYSTEM PERFORMANCE REQUIREMENTS	17
2.1	System Level	17
2.1.1	General Requirements.....	17
2.1.2	EFVS System Performance - Standard Operation Conditions.....	19
2.1.3	EFVS System Requirements.....	21
2.1.4	EFVS System Considerations – Taxi.....	23
3	DETAILED SYSTEM REQUIREMENTS	25
3.1	EFVS	25
3.1.1	EFVS Detailed System Requirements	25
3.1.2	EFVS Major Components.....	25
3.1.3	EFVS Minimum System Performance.....	25
3.1.4	Sensor System.....	27
3.2	EFVS Aircraft Interface	29
3.2.1	EFVS/HUD Pilot Controls.....	29
3.2.2	EFVS PFD Pilot Controls	29
3.2.3	EFVS Annunciation.....	30
3.2.4	EFVS Image.....	30
3.2.5	Landing and Roll-Out Information	30
3.2.6	Flight Data Recorder.....	30
3.3	System Safety	31
3.3.1	General.....	31
3.3.2	EFVS Availability.....	31
3.4	EFVS Maintenance Requirements	32
3.5	EFVS Environmental Specifications	32
3.5.1	General.....	32
4	PERFORMANCE EVALUATION	33
4.1	Performance Demonstration	33
4.1.1	General.....	33
4.2	Performance	34
4.2.1	General Requirements.....	34
4.3	Performance Demonstration Criteria	34
4.3.1	EFVS Approach, Landing, and Roll-out Performance Criteria	34

4.4	Environmental Qualification	35
4.4.1	General.....	35
4.5	Design Assurance	35
4.5.1	General.....	35
5	MEMBERSHIP.....	37
Appendix A: Acronyms and Definitions		A-3
Appendix B: Technical References		B-1
B.1.	SAE Publications.....	B-1
B.2.	US Government Publications.....	B-1
B.3.	FAA Publications and Documents.....	B-1
B.3.1.	Key Regulations.....	B-1
B.3.2.	FAA Orders.....	B-2
B.3.3.	FAA Advisory Circulars (AC).....	B-2
B.3.4.	FAA EFVS FAR Compliance.....	B-3
B.3.5.	Additional Guidance	B-4
Appendix C: System Safety Requirements Logic		C-1
C.1.	System Safety.....	C-1
C.1.1.	General Requirements.....	C-1
C.1.2.	EFVS Landing, Roll-Out to a Safe Taxi Speed Failure Condition Considerations	C-2
Appendix D: EFVS Minimum System Performance Standard Rationale.....		D-1
D.1.	System Requirements Rationale \.....	D-1
D.1.1.	Detection (Ref 3.1.3.1)	D-1
D.1.2.	Enhanced Visibility Range (Ref: 3.1.3.2).....	D-1
D.1.3.	Landing References (Ref: 3.1.3.3).....	D-1
D.1.4.	Roll-Out Visual References(Ref 3.1.3.4).....	D-2
D.1.5.	Latency (Ref 3.1.3.5)	D-2
D.1.6.	EFVS Field of Regard (FOR): (Ref 3.1.3.6).....	D-3
D.1.7.	Off-Axis Rejection (Ref 3.1.3.7)	D-3
D.1.8.	Jitter (Ref 3.1.3.8).....	D-3
D.1.9.	Flicker (Ref 3.1.3.9).....	D-4
D.1.10.	Image Artifacts (Ref 3.1.3.10).....	D-4
D.1.11.	Image Conformality (Ref 3.1.3.11).....	D-4
D.1.12.	EFVS Down Angle (Ref 3.1.3.12).....	D-5
D.1.13.	Refresh Rate (Ref 3.1.3.13)	D-5
D.2.	Sensor/Sensor Processor.....	D-5
D.2.1.	Dynamic Range (Ref 3.1.4.1)	D-5
D.2.2.	Sensor Image Calibration (Ref 3.1.4.2)	D-5
D.2.3.	Sensor Resolution (Ref 3.1.4.3).....	D-6
D.2.4.	Passive Sensor Optical Distortion (Ref 3.1.4.4)	D-6
D.2.5.	Sensor Sensitivity (Ref 3.1.4.5)	D-6
D.2.6.	Blooming (Ref 3.1.4.6)	D-6
D.2.7.	Image Persistence (Ref 3.1.4.7)	D-7
D.2.8.	Dead Pixels (Ref 3.1.4.8).....	D-7
D.2.9.	Parallax (Ref 3.1.4.9).....	D-7
D.3.	EFVS Aircraft Interface.....	D-7
D.3.1.	Brightness/Contrast (Ref 3.2.1.1)	D-7
D.3.2.	Control Access Requirement: (Ref 3.2.1.2).....	D-8
D.3.3.	Declutter (Ref 3.2.1.3)	D-8

D.3.4.	Brightness/Contrast (Ref 3.2.2.1)	D-8
D.3.5.	Control Access Requirement: (Ref 3.2.2.2).....	D-8
D.3.6.	EFVS Image Selection (Ref 3.2.2.3)	D-9
D.3.7.	Annunciation (Ref 3.2.3.1)	D-9
D.3.8.	Failure Messages (Ref 3.2.3.2)	D-9
D.3.9.	Hazardously Misleading Information (Ref 3.2.3.3).....	D-9
D.3.10.	Image Resolution (Ref 3.2.4.1).....	D-10
D.3.11.	Topography (Ref 3.2.4.2).....	D-10
D.3.12.	Flare Cue (Ref 3.2.5.1)	D-10
D.3.13.	Flare Prompt (Ref 3.2.5.2).....	D-10
D.3.14.	Flare Guidance (Ref 3.2.5.3).....	D-11
D.3.15.	Roll-Out (Ref 3.2.5.4).....	D-11
D.3.16.	Failure Messages (Ref 3.2.6.1)	D-11
D.4.	System Safety.....	D-11
D.4.1.	General (Ref 3.3.1.1)	D-11
D.4.2.	System Safety (Ref 3.3.1.2).....	D-11
D.4.3.	System Safety Levels (Ref 3.3.1.3)	D-12
D.4.4.	Failure States (Ref 3.3.1.4)	D-12
D.4.5.	Fail-Operational Design (Ref 3.3.1.5)	D-12
D.4.6.	System Safety Design Assurance (Ref 3.3.1.6)	D-12
D.4.7.	Crew Failure Intervention (Ref 3.3.1.7).....	D-12
D.4.8.	EFVS Availability Above 100 ft HATH (Ref 3.3.2.1).....	D-13
D.4.9.	EFVS Availability Below 100 ft HATH (Ref 3.3.2.2).....	D-13
D.4.10.	Fail-Operational Design (Ref 3.3.2.3)	D-13
Appendix E: Example Flight Test Plan		E-1
E.1.	Required Elements.....	E-1
E.1.1.	Objectives	E-1
E.1.2.	EFVS Imagery And Symbology Evaluation.....	E-1
E.1.3.	Environment.....	E-1
E.1.4.	Test Conditions	E-1
E.1.5.	Test Points.....	E-2
E.2.	Evaluations	E-4
E.2.1.	Evaluation during Taxi	E-4
E.2.2.	Take-off Evaluation	E-4
E.2.3.	Climb and Descent and Lateral Modes Evaluation.....	E-4
E.2.4.	Instrument Approaches to the DA(H).....	E-5
E.2.5.	Final Approach from the DA/DH, Flare, Landing, and Rollout To Safe Taxi Speed.....	E-5
E.2.6.	Rejected Landing	E-5
E.2.7.	Pilot Monitoring (PM) Displays	E-5
E.2.8.	Failure Cases.....	E-5
E.2.9.	Ice Protection System	E-6
E.3.	Testing.....	E-6
E.3.1.	Pilot's Evaluation Matrix.....	E-6

TABLE OF FIGURES

Figure 1: SVS Diagram..... 4
Figure 2: EFVS Diagram 5
Figure 3: EFVS Approach and Landing 12
Figure 4: Minimum detection range..... 19
Figure 5: Approach Lighting System Configurations..... 21

TABLE OF TABLES

Table 1 - Required Visual References 14 CFR § 91.175 (c) and (l)..... 8
Table 2 - Required Visual References, EU-OPS Sub-Part E..... 9

1 PURPOSE AND SCOPE

1.1 Introduction

DO-315 described Minimum Aviation System Performance Standards (MASPS) for Enhanced Vision Systems (EVS), Synthetic Vision Systems (SVS), and Combined Vision Systems (CVS) technologies. An approved combination of EVS and HUD is termed an Enhanced Flight Vision System (EFVS) by the FAA. The European Aviation Safety Agency (EASA) uses the term “EVS” as equivalent to the FAA description of EFVS. While further definitions are in Appendix A, it is important to understand this distinction before reading this document.

Under DO-315A, MASPS have been established for systems used for approach to touchdown in visibility as low as 1000 ft Runway Visual Range (RVR) (or 300 m if applicable) by use of an approved EFVS. Under DO-315B, MASPS have been established for systems that could be used on an instrument approach with lower decision altitude/height and/or possible lower visibility minima, by use of an approved SVS.

In the U.S., the approving regulation to use Enhanced Flight Vision System technology is established under Title 14 of the Code of Federal Regulations (CFR) §91.175 (l) and (m) which states that an approved EFVS may be used in lieu of a pilot’s natural vision, and a pilot may proceed with the visual segment of the approach based on the use of EFVS to 100 ft above threshold elevation. Airworthiness guidance for EFVS, EVS, SVS, and CVS can be found in AC 20-167, "Airworthiness Approval of Enhanced Vision System, Synthetic Vision System, Combined Vision System, and Enhanced Flight Vision System Equipment.

This MASPS provide the high level system requirements for EFVS when installed in aircraft with the express purpose of enabling specified straight-in instrument approaches with published vertical guidance to touchdown, landing, and roll-out to a safe taxi speed in visibility as low as 300 ft RVR (100 m) by use of an approved EFVS without need or reliance on natural vision. This MASPS follows from and expands upon the concepts and requirements established under DO-315A and the precedents established under 14 CFR §91.175 (l) and (m), which identified performance standards for an enhanced flight vision systems (EFVS) to enable approach, landing, roll-out and taxi, down to 1000 ft (300 m) runway visual range (RVR). The operational concept follows a fail-operational design.

The operational scenarios used for design context and concepts discussed in this document are written to describe the intended use of the proposed systems and from this context, associated minimum performance standards are derived. They do not define current or future operational regulations or limitations of these technologies.

Section 1 provides information needed to understand the rationale for system characteristics and requirements. This section also contains typical applications and envisioned operational goals and assumptions necessary to establish a basis for the subsequent sections. It describes typical applications and operational goals, as envisioned by members of RTCA Special Committee 213 and EUROCAE Work Group 79, and establishes the basis for the standards stated in Sections 2 through 4. Definitions and assumptions essential to proper understanding of this document are also provided in this section.

Section 2 describes minimum system performance requirements.