

RTCA, Inc.
1140 Connecticut Avenue, NW, Suite 1020
Washington, DC 20036-4008 USA

**CONCEPTS FOR SERVICES INTEGRATING
FLIGHT OPERATIONS AND AIR TRAFFIC MANAGEMENT
USING ADDRESSED DATA LINK**

RTCA DO-269
June 12, 2001

Prepared by: SC-194
© 2001 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.
1140 Connecticut Avenue, NW, Suite 1020
Washington, DC 20036-4008 USA

Telephone: 202-833-9339
Facsimile: 202-833-9434
Internet: www.rtca.org

Please call RTCA for price and ordering information.

FOREWORD

This report was prepared by Special Committee 194 (SC-194) and approved by the RTCA Program Management Committee (PMC) on June 12, 2001.

RTCA, Incorporated, is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This page intentionally left blank.

EXECUTIVE SUMMARY

This document presents concepts and considerations for future Air Traffic Management (ATM) services that will enhance the overall safety and efficiency of the National Airspace System (NAS). A set of nine integrated service concepts is described that integrates flight operations and air traffic management using Aeronautical Data Link (ADL). The services are: Basic Information Exchange: (1) FMS-ATM-AOC Calibration, (2) NAS Status Information; (3) UPT Flight Planning/Replanning; (4) Flexible Arrival and Departure Routing; (5) Surface Movement; Reduced Separation: (6) Non-Radar Environment; (7) Radar Environment; Communications Management: (8) Automatic Voice Frequency Change; and (9) Emergency Notification. These services introduce operational advantages that go beyond the Air Traffic Services (ATS) defined in the first stage of the Federal Aviation Administration (FAA) implementation of the Aeronautical Telecommunications Network (ATN) known as Controller/Pilot Data Link Communications (CPDLC) Build I/IA. They also introduce benefits beyond those that are enabled with ARINC Aircraft Communication Addressing and Reporting System (ACARS) and Future Air Navigation System- (FANS-) 1/A.

These integrated services were identified from a wide list of potential services as ones that may yield attractive benefits to all stakeholders through the integration of Aeronautical Data Link System (ADLS) with airborne systems and/or ground automation. More than just introducing an ADLS, these Integrated Services are formulated to achieve a net benefit that is greater than the sum of the contributions of the enabling technologies (e.g., flight deck automation, ATM Decision Support Tools, communications). Each service is organized and presented in a spiral evolution to facilitate early operational benefits that leverage value-added combinations of key capabilities.

A primary contribution of this document is the identification of those capabilities that are required in order to enable the Integrated Services including the required datalink messages that should be considered for the ADLS Build II implementation program. Because there are other enabling capabilities to consider, each of these services was evaluated for viability of implementation given the availability of resources. In all cases, spiral development stages were defined that make use of ADLS capabilities and other capabilities in an incremental implementation to provide incremental value to the user. For each spiral stage, all supporting messages were categorized by inclusion in the International Civil Aviation Organization (ICAO) Baseline 1, Baseline 2, or beyond the current definition of messages contained in the SARPs. Those that are beyond SARPs are identified clearly so that future work can include these messages. Some benefits can be obtained by implementing Integrated Services that require only CPDLC Build I/IA avionics.

A second contribution is the identification of key issues (technical feasibility and operational viability) that must be addressed by the R&D community to develop the knowledge necessary to support implementation decisions of the more advanced/farther-term service concepts. As these concepts feed into research and validation activities for the FAA, NASA and other stakeholders, they may provide a path from consensus on future implementations. These concepts, once matured through the research process, should be considered for integration into future development of ADLS.

The following specific recommendations are made:

1. Consideration should be given to this set of Integrated Services in the definition of ADLS Build-II Plans and Principles to select aspects and stages that are appropriate for inclusion.
2. Start SARPs approval process for the new messages identified.
3. Continue benefits/risk analysis to prioritize services.
4. Prepare an implementation roadmap with timelines, interdependencies, organizational roles, and validation programs.
5. Focus the validation, analysis, and implementation efforts through a combined industry/Government steering group.

This page intentionally left blank.

TABLE OF CONTENTS

PART I:	OVERVIEW OF ADL INTEGRATED SERVICES	1
1.0	INTRODUCTION	1
1.1	Purpose and Scope.....	1
1.2	Intended Audience.....	1
1.3	Approach	1
1.4	Background.....	4
1.4.1	FANG and FANG Documents.....	4
1.4.2	Task Force 3, Free Flight Implementation, and “Free Flight”.....	5
1.4.3	NASA, Distributed Air-Ground Traffic Management (DAG-TM)	6
1.4.4	RTCA SC-194.....	6
1.5	Definitions	7
1.6	Document Structure.....	9
2.0	SERVICES.....	11
2.1	Overview of Each Service in Part Two	11
2.1.1	Basic Information Exchange: FMS-ATM-AOC Calibration.....	11
2.1.1.1	Spiral Stages.....	11
2.1.1.2	Key Enabling Capabilities	12
2.1.1.3	Key Benefits.....	12
2.1.2	Basic Information Exchange: Dissemination of NAS Status Information.....	12
2.1.2.1	Spiral Stages.....	13
2.1.2.2	Key Enabling Capabilities	14
2.1.2.3	Key Benefits.....	14
2.1.3	UPT Flight Planning/Replanning.....	14
2.1.3.1	Spiral Stages.....	14
2.1.3.2	Key Enabling Capabilities	15
2.1.3.3	Key Benefits.....	15
2.1.4	Flexible Arrival and Departure Routing	16
2.1.4.1	Spiral Stages.....	16
2.1.4.2	Key Enabling Capabilities	17
2.1.4.3	Key Benefits.....	18
2.1.5	Surface Movement.....	18
2.1.5.1	Spiral Stages.....	18
2.1.5.2	Key Enabling Capabilities	19
2.1.5.3	Key Benefits.....	20
2.1.6	Reduced Separation: Non-Radar Environment.....	20
2.1.6.1	Spiral Stages.....	21
2.1.6.2	Key Enabling Capabilities	21
2.1.6.3	Key Benefits.....	22
2.1.7	Reduced Separation: Radar Environment.....	22
2.1.7.1	Spiral Stages.....	23
2.1.7.2	Key Enabling Capabilities	23
2.1.7.3	Key Benefits.....	24
2.1.8	Communications Management: Automatic Voice Frequency Change.....	24
2.1.8.1	Spiral Stages.....	24
2.1.8.2	Key Enabling Capabilities	25
2.1.8.3	Key Benefits.....	25
2.1.9	Communications Management: Emergency Alerting Notification.....	26
2.1.9.1	Spiral Stages.....	26

2.1.9.2	Key Enabling Capabilities	26
2.1.9.3	Key Benefits.....	26
2.2	Benefits Requirements Summary	27
2.3	Enabling Capabilities Summary	29
3.0	VALIDATION.....	35
3.1	Purpose and Scope.....	35
3.2	Summary Overview	35
3.2.1	Technical Validation.....	36
3.2.2	Operational Validation.....	36
3.3	Service Validation	36
PART II:	DETAIL OF ADL INTEGRATED SERVICES	37
1.0	BASIC INFORMATION EXCHANGE: FMS-ATM-AOC CALIBRATION SERVICE.....	37
1.1	Scope, Objective and Role of Aeronautical Data Link (ADL).....	37
1.1.1	Operational Scope of the Service.....	37
1.1.2	Objective of the Service.....	37
1.1.3	Role of Addressable ADL.....	37
1.1.4	Service Evolution.....	37
1.1.4.1	Baseline.....	37
1.1.4.2	Spiral Stage 1 – Automated Addressable Data Exchange	38
1.1.4.3	Spiral Stage 2 – Expanded Automated Data Exchange	38
1.1.4.4	Spiral Stage 3 – Comprehensive Automated Data Exchange	39
1.2	Operating Methods Overview.....	39
1.2.1	Baseline.....	39
1.2.2	Spiral Stage 1 – Automated Addressable Data Exchange	40
1.2.3	Spiral Stage 2 – Expanded Automated Data Exchange	41
1.2.4	Spiral Stage 3 – Comprehensive Automated Data Exchange.....	42
1.3	Scenarios.....	43
1.3.1	Spiral Stage 1 – Automated Addressable Data Exchange Scenario	43
1.3.2	Spiral Stage 2 – Expanded Automated Data Exchange Scenario	44
1.3.3	Spiral Stage 3 – Comprehensive Automated Data Exchange Scenario	45
1.4	Potential Benefits.....	46
1.5	Enabling Capabilities and Associated Human Factors	49
1.5.1	Associated Human Factors Design	52
1.5.1.1	Controller	52
1.5.1.2	Flight Crew	52
1.5.1.3	Other Human Factors Considerations	53
1.5.2	Procedures.....	53
1.6	Information Flow.....	54
1.6.1	System Flow Block Diagram of the Service.....	54
1.6.2	Information Exchange Description.....	56
1.7	Risks, Technical Feasibility and Operational Viability Including Associated Human Factors..	65
1.7.1	Schedule Dependencies and Risks.....	65
1.7.2	Mixed Equipage Effects.....	66
1.7.3	Technical Feasibility and Operational Viability	67
1.7.3.1	Technical Feasibility Risk.....	67
1.7.3.2	Operational Viability Risk.....	68

1.8	Validation	69
1.8.1	Previous Work	70
1.8.2	Recommended work	71
1.8.2.1	Technical Feasibility Validation	73
1.8.2.2	Operational Viability Validation.....	74
1.8.2.3	Benefits	75
2.0	BASIC INFORMATION EXCHANGE: DISSEMINATION OF NAS STATUS INFORMATION SERVICE.....	77
2.1	Scope, Objective, and Role of Aeronautical Data Link (ADL).....	77
2.1.1	Operational Scope of the Service.....	77
2.1.2	Objective of the Service.....	77
2.1.3	Role of Addressable ADL.....	78
2.1.4	Service Evolution.....	78
2.1.4.1	Baseline.....	78
2.1.4.2	Spiral Stage 1 – Baseline 1 avionics including ADS:.....	80
2.1.4.3	Spiral Stage 2 – NAS Status integration utilizing Baseline 2 avionics, Build 2 ground functionality	80
2.1.4.4	Spiral Stage 3 – Graphical Displays beyond Baseline 2	81
2.2	Operating Methods Overview.....	82
2.2.1	Baseline Service.....	82
2.2.2	Service with NAS Status Information Integration	83
2.2.2.1	Spiral Stage 1 – Baseline 1 Avionics Including ADS.....	83
2.2.2.2	Spiral Stage 2 – NAS Status Information using Baseline 2 Avionics and Build 2 ground functionality.....	84
2.2.2.3	Spiral Stage 3 – Graphical Displays Beyond Baseline 2	85
2.3	Scenarios.....	85
2.3.1	Spiral Stage 1 Scenario – High-End Equipage with NAS Status Information Integration.....	85
2.3.2	Spiral Stage 2 Baseline 2 Scenario – Air Carrier High-End Equipage with Request/Reply FIS Data	87
2.3.3	Spiral Stage 3 Scenario – Graphical Displays Beyond Baseline 2	87
2.4	Potential Benefits.....	88
2.5	Enabling Capabilities and Associated Human Factors	92
2.5.1	Enabling Capabilities.....	92
2.5.2	Associated Human Factors Design Considerations	95
2.5.3	Procedures.....	96
2.6	Information Flow.....	96
2.6.1	Information Flow Diagram	96
2.6.2	Information Exchange Description.....	97
2.7	Risks, Technical Feasibility and Operational Viability Including Associated Human Factors	106
2.7.1	Critical Schedule/Programmatic Dependencies and Risks	106
2.7.2	Mixed Equipage Effects.....	107
2.7.3	Technical Feasibility and Operational Viability	107
2.7.3.1	Technical Feasibility	107
2.7.3.2	Operational Viability	108
2.8	Validation	109
2.8.1	Technical Feasibility.....	110
2.8.1.1	Previous and Ongoing work.....	110
2.8.1.2	Recommended Work	115
2.8.2	Operational Viability	115

2.8.2.1	Previous and Ongoing Work.....	115
2.8.2.2	Recommended Follow-on Work.....	115
2.8.3	Benefits Verification.....	118
3.0	UPT FLIGHT PLANNING/REPLANNING.....	121
3.1	Scope, Objective and Role of Aeronautical Data Link (ADL).....	121
3.1.1	Operational Scope.....	121
3.1.2	Objective of the Service.....	121
3.1.3	Role of Addressable ADL.....	122
3.1.4	Service Evolution.....	123
3.1.4.1	Oceanic Evolution.....	123
3.1.4.2	Domestic NAS Evolution	124
3.2	Operating Methods Overview.....	125
3.3	Scenarios.....	128
3.3.1	Scenario 1: Domestic En Route	128
3.3.2	Scenario 2: Oceanic	129
3.4	Potential Benefits.....	130
3.5	Enabling Capabilities and Associated Human Factors	133
3.5.1	Enabling Capabilities.....	133
3.5.2	Associated Human Factors Design	136
3.5.3	Procedures, Tasks, Roles and Responsibilities	137
3.6	Information Flow	138
3.7	Risks, Technical Feasibility and Operational Viability Including Associated Human Factors	147
3.7.1	Schedule Dependencies and Risks.....	147
3.7.2	Mixed Equipage Effects.....	148
3.7.3	Technical Feasibility and Operational Viability	149
3.8	Validation	150
3.8.1	Technical Feasibility Issues	150
3.8.1.1	Flight Planning Systems to Provide UPT Flight Planning and Replanning.....	150
3.8.1.2	Data Flow/Messages	151
3.8.1.3	ATM Automation Capabilities.....	151
3.8.2	Operational Viability	153
3.8.3	Benefits	154
4.0	FLEXIBLE ARRIVAL AND DEPARTURE ROUTING SERVICE	155
4.1	Scope, Objective and Role of Aeronautical Data Link (ADL).....	155
4.1.1	Operational Scope of the Service.....	155
4.1.2	Objective of the Service.....	155
4.1.3	Role of Addressable Datalink	156
4.1.4	Service Evolution.....	156
4.2	Operating Methods Overview.....	157
4.3	Scenarios.....	159
4.3.1	Departure Scenarios.....	159
4.3.1.1	Spiral Stage 1 Capability	159
4.3.1.2	Effect of Spiral Stage 2	160
4.3.1.3	Effect of Spiral Stage 3 Enhancements.....	160
4.3.1.4	Effect of Spiral Stage 4 Enhancements.....	160
4.3.1.5	Effect of Spiral Stage 5 Enhancements.....	161
4.3.2	Arrival Scenarios	161

4.3.2.1	Spiral Stage 1: Initial ATN Capability.....	161
4.3.2.2	Effect of Spiral Stage 2 Enhancements.....	161
4.3.2.3	Effect of Spiral Stage 3 Enhancements.....	162
4.3.2.4	Effect of Spiral Stage 4 Enhancements.....	162
4.3.2.5	Effect of Spiral Stage 5 Enhancements.....	162
4.4	Potential Benefits.....	163
4.5	Enabling Capabilities and Associated Human Factors.....	167
4.5.1	Enabling Capabilities.....	167
4.5.2	Associated Human Factors Design.....	167
4.5.3	Tasks, Roles and Responsibilities.....	167
4.5.3.1	Flight Crew Responsibilities.....	167
4.5.3.2	Controller Responsibilities.....	168
4.6	Information Flow.....	172
4.6.1	System Flow Block Diagram of the Service.....	172
4.6.2	Information Exchange Diagram.....	173
4.7	Risks, Technical Feasibility and Operational Viability Including Associated Human Factors.....	179
4.7.1	Schedule Dependencies and Risks.....	179
4.7.2	Mixed Equipage Effects.....	179
4.7.3	Technical Feasibility and Operational Viability.....	180
4.7.3.1	Critical Implementation Issues.....	180
4.7.3.2	Data Flow/Messages.....	180
4.7.3.3	Automation Capabilities.....	181
4.7.3.4	Procedures and Human Factors.....	181
4.8	Validation.....	182
4.8.1	Technical Feasibility Issues.....	182
4.8.1.1	Flexible RNAV Routes in Constrained, Congested Environments.....	182
4.8.1.2	Value of Uplinking Winds Along Path.....	183
4.8.1.3	Seamless Data Flow Between Diverse Systems.....	184
4.8.1.4	Automated RNAV Route Generation.....	185
4.8.1.5	Automated Conflict Probe and Resolution for Extended Terminal Airspace.....	185
4.8.1.6	En Route Transition Flow Management.....	187
4.8.1.7	Affordable FMS Upgrade.....	187
4.8.2	Operational Viability Issues.....	188
4.8.2.1	Flight Crew and ATM Controller Human Factor Issues.....	188
4.8.2.2	Procedural Issues.....	190
4.8.2.3	Benefits Verification.....	191
5.0	SURFACE MOVEMENT.....	193
5.1	Scope, Objective and Role of Aeronautical Data Link (ADL).....	193
5.1.1	Operational Scope of the Service.....	193
5.1.2	Objective of the Service.....	193
5.1.3	Role of Addressable ADL.....	193
5.1.4	Service Evolution.....	193
5.1.4.1	Baseline – Surface Operations prior to Data Link Integration.....	194
5.1.4.2	Spiral Stage 1 – ATSP Taxi Clearance and Taxi Guidance.....	195
5.1.4.3	Spiral Stage 2 – Automatic Load and Display of Taxi Routes.....	195
5.1.4.4	Spiral Stage 3 – Coordinated Surface Traffic Management.....	196
5.1.4.5	Spiral Stage 4 – Fully Coordinated Arrival, Departure, Surface Traffic Flow.....	197
5.2	Operating Methods Overview.....	197
5.2.1	Spiral Stage 1 – ATSP Taxi Clearance and Taxi Guidance.....	197
5.2.2	Spiral Stage 2 – Automatic Load and Display of Taxi Routes.....	198

5.2.3	Spiral Stage 3 – Coordinated Surface Traffic Management	198
5.2.4	Spiral Stage 4 – Fully Coordinated Arrival, Departure, Surface Traffic Flow	198
5.3	Scenarios.....	199
5.3.1	Spiral Stage 1 Scenario – ATSP Taxi Clearance and Taxi Guidance.....	199
5.3.2	Spiral Stage 2 Scenario – Automatic Load and Display of Taxi Routes	199
5.3.3	Spiral Stage 3 Scenario - Coordinated Surface Traffic Management.....	199
5.3.4	Spiral Stage 4 Scenario – Fully Coordinated Arrival/Departure/Surface Traffic Flow..	200
5.4	Potential Benefits.....	200
5.5	Enabling Capabilities and Associated Human Factors	205
5.5.1	Enabling Capabilities.....	205
5.5.2	Associated Human Factors Design	207
5.5.3	Procedures.....	207
5.6	Information Flow	207
5.7	Risks, Technical Feasibility and Operational Viability Including Associated Human Factors	211
5.7.1	Schedule/Programmatic Risks	211
5.7.2	Mixed Equipage Effects.....	211
5.7.3	Technical Feasibility and Operational Viability	212
5.7.3.1	Critical Technical and Operational Issues.....	212
5.7.3.2	Data Flow/Messages	213
5.7.3.3	Automation Capabilities	213
5.7.3.4	Aircraft and Other Vehicle Equipage.....	213
5.7.3.5	Procedures and Human Factors.....	214
5.7.3.6	Human Factors Issues	214
5.8	Validation	215
5.8.1	Technical Feasibility.....	216
5.8.2	Economic Evaluation/Benefits Analysis.....	217
5.8.3	Recommended Work	218
6.0	REDUCED SEPARATION SERVICE: NON-RADAR ENVIRONMENT.....	219
6.1	Scope, Objective and Role of Aeronautical Data Link (ADL).....	219
6.1.1	Operational Scope of the Service.....	219
6.1.2	Objective of the Service.....	219
6.1.3	Role of Addressable Datalink	219
6.1.4	Service Evolution.....	220
6.2	Operating Methods Overview.....	221
6.3	Scenarios.....	222
6.3.1	Non-Radar Reduced Separation Using Datalink	222
6.3.2	CDTI-Aided Non-Radar Reduced Separation	222
6.4	Potential Benefits.....	223
6.5	Enabling Capabilities and Associated Human Factors	225
6.5.1	Enabling Capabilities.....	225
6.5.2	Associated Human Factors Design	228
6.5.3	Procedures, including Tasks, Roles, and Responsibilities	228
6.6	Information Flow	229
6.7	Risks, Technical Feasibility and Operational Viability Including Associated Human Factors	232
6.7.1	Risks and Schedule Dependencies.....	232
6.7.2	Mixed Equipage Effects.....	232
6.7.3	Technical Feasibility and Operational Viability	232

6.7.3.1	Critical Implementation Issues.....	233
6.7.3.2	Data Flow/Messages Issues	233
6.7.3.3	Automation Capabilities Issues.....	233
6.7.3.4	Procedures and Human Factors Risks/Issues	234
6.8	Validation	235
6.8.1	Previous Work	235
6.8.2	Recommended Work	235
7.0	REDUCED SEPARATION SERVICE: RADAR ENVIRONMENT	237
7.1	Scope, Objective and Role of Aeronautical Data Link (ADL).....	237
7.1.1	Operational Scope of the Service.....	237
7.1.2	Objective of the Service.....	237
7.1.3	Role of Addressable Datalink	237
7.1.4	Service Evolution.....	238
7.2	Operating Methods Overview.....	239
7.2.1	Spiral Stage 1 – Static Self-Spacing	239
7.2.2	Spiral Stage 2 – Dynamic Self-Spacing.....	239
7.2.3	Spiral Stage 3 – Autonomous Operations within ATM-Provided Constraints	239
7.3	Scenarios.....	240
7.3.1	Terminal Arrival Operations with Time-Based Self-Spacing.....	240
7.3.2	Autonomous Operations within ATM-Provided Constraints	240
7.4	Potential Benefits.....	242
7.5	Enabling Capabilities and Associated Human Factors	244
7.5.1	Enabling Capabilities	244
7.5.2	Associated Human Factors Design	246
7.5.3	Procedures (tasks, roles, and responsibilities)	246
7.5.3.1	Spiral Stages 1 and 2.....	246
7.5.3.2	Spiral Stage 3	247
7.6	Information Flow.....	248
7.6.1	System Block Diagram of the Service.....	248
7.7	Risks, Technical Feasibility and Operational Viability Including Associated Human Factors	250
7.7.1	Schedule Dependencies and Risks.....	250
7.7.2	Mixed Equipage Effects.....	250
7.7.3	Technical Feasibility and Operational Viability	250
7.7.3.1	Data Flow/Messages Issues	250
7.7.3.2	Automation Capabilities Issues.....	251
7.7.3.3	Procedures and Human Factors Risks/Issues	251
7.8	Validation	252
7.8.1	Previous Work	252
7.8.1.1	Economic Evaluation/Benefits Analysis.....	253
7.8.1.2	Technical Feasibility	254
7.8.1.3	Operational Viability	254
7.8.2	Recommended Work	255
7.8.2.1	Economic Evaluation/Benefits Analysis.....	255
7.8.2.2	Technical Feasibility	256
7.8.2.3	Operational Viability	256
8.0	COMMUNICATIONS MANAGEMENT: AUTOMATIC VOICE FREQUENCY CHANGE SERVICE.....	259
8.1	Scope, Objective and Role of Aeronautical Data Link (ADL).....	259

8.1.1	Operational Scope of the Service.....	259
8.1.2	Objective of the Service.....	259
8.1.3	Role of Addressable ADL.....	260
8.1.4	Service Evolution.....	260
8.2	Operating Methods Overview.....	261
8.2.1	Baseline.....	261
8.2.2	Spiral Stage 1.....	262
8.2.3	Spiral Stage 2.....	262
8.3	Scenarios.....	262
8.4	Potential Benefits.....	264
8.5	Enabling Capabilities and Associated Human Factors.....	266
8.5.1	Enabling Capabilities.....	266
8.5.2	Associated Human Factors Design.....	268
8.5.3	Procedures.....	268
8.6	Information Flow.....	268
8.6.1	Baseline.....	269
8.6.2	Spiral Stage 1.....	270
8.6.3	Spiral Stage 2.....	270
8.7	Risks, Technical Feasibility and Operational Viability Including Associated Human Factors.....	274
8.7.1	Schedule Dependencies and Risks.....	274
8.7.2	Mixed Equipage Effects.....	274
8.7.3	Technical Feasibility and Operational Viability.....	275
8.8	Validation.....	275
8.8.1	Technical Feasibility.....	275
8.8.1.1	Previous and Ongoing Work.....	275
8.8.1.2	Recommended Follow-on Work.....	276
8.8.2	Operational Viability.....	277
8.8.2.1	Previous and Ongoing Work.....	277
8.8.2.2	Recommended Follow-on Work.....	277
8.8.3	Economic Evaluation/Benefits Analysis.....	277
9.0	COMMUNICATIONS MANAGEMENT: EMERGENCY ALERTING NOTIFICATION SERVICE.....	279
9.1	Scope, Objective and Role of Aeronautical Data Link (ADL).....	279
9.1.1	Operational Scope of the Service.....	279
9.1.2	Objective of the Service.....	279
9.1.3	Role of ADL.....	279
9.1.4	Service Evolution.....	279
9.2	Operating Methods Overview.....	280
9.2.1	Baseline.....	280
9.2.2	Spiral Stage 1 – Initial Emergency Capability.....	280
9.2.3	Spiral Stage 2 – Complete Emergency Reporting and Notification.....	280
9.3	Scenarios.....	280
9.4	Potential Benefits.....	281
9.5	Enabling Capabilities and Associated Human Factors.....	283
9.5.1	Enabling Capabilities.....	283
9.5.2	Associated Human Factors Design.....	285
9.5.3	Procedures.....	285

9.6	Information Flow	285
9.7	Risks, Technical Feasibility and Operational Viability Including Associated Human Factors	290
9.7.1	Schedule/Programmatic	290
9.7.2	Mixed Equipage Effects.....	290
9.7.3	Technical Feasibility and Operational Viability	290
9.8	Validation	291
9.8.1	Technical Feasibility.....	291
9.8.1.1	Previous Work	291
9.8.1.2	Recommended Follow-on Work.....	291
9.8.2	Operational Viability	292
9.8.2.1	Previous and Ongoing Work.....	292
9.8.2.2	Recommended Follow-on Work.....	292
9.8.3	Economic Evaluation/Benefits Analysis.....	292
PART III:	CONCLUSIONS AND RECOMMENDATIONS.....	293
1.0	SUMMARY	293
1.1	Benefits Accrual	293
1.2	Key Enabling Capabilities	294
1.3	ADLS Messages to Support Integration.....	296
1.4	Key Validation Needs.....	296
2.0	GENERAL RECOMMENDATIONS	315
	MEMBERSHIP.....	317
	APPENDIX A – LIST OF ACRONYMS AND GLOSSARY	A-1
1.0	ACRONYMS.....	A-1
2.0	GLOSSARY	A-7
	APPENDIX B – LIST OF REFERENCES.....	B-1
	APPENDIX C – ROLL-UP OF MESSAGES TABLES	C-1

TABLE OF FIGURES

PART I: Overview of ADL Integrated Services

<u>Figure 1.3-1</u> ATM Service Definition and Analysis Approach	2
--	---

PART II: Detail of ADL Integrated Services

<u>Figure 1.6-1</u> Information Flow	54
<u>Figure 2.3-1</u> Example of D-ATIS Arrival Text Message	88
<u>Figure 2.3-2</u> Example of D-ATIS Departure Text Message	88
<u>Figure 2.6-1</u> Dissemination of NAS Status Information Flow Block Diagram	97
<u>Figure 3.1-1</u> Spiral Development	125
<u>Figure 3.6-1</u> Information Flow	138
<u>Figure 4.6-1</u> System Flow Block Diagram of Flexible Arrival and Departure Routes Service	172
<u>Figure 5.6-1</u> Data Flow Diagram	208
<u>Figure 6.6-1</u> System Block Diagram of Reduced Separation	229
<u>Figure 7.6-1</u> System Block Diagram of Reduced Separation	248
<u>Figure 8.6-1</u> System Block Diagram Automatic Voice Frequency Change Service	269
<u>Figure 9.6-1</u> System Block Diagram Emergency Alerting Notification Service	286

TABLE OF TABLES

PART I: Overview of ADL Integrated Services

<u>Table 2.2-1</u> Benefits Summary Across All Services.....	28
<u>Table 2.3-1</u> Required Enabling Capabilities by Service	29

PART II: Detail of ADL Integrated Services

<u>Table 1.4-1</u> Potential Benefits Growth in Calibration Service as Spiral Evolution Unfolds	47
<u>Table 1.5-1</u> Enabling Capabilities and Resources Needed to Implement FMS-ATM-AOC Calibration Service	50
<u>Table 1.6-1</u> Information Exchange for FMS-ATM-AOC Calibration Service	57
<u>Table 2.1-1</u> Dissemination of NAS Status Information Spiral Stages	82
<u>Table 2.4-1</u> Potential Benefits Growth in Dissemination of NAS Status Information Service as Spiral Evolution Unfolds	90
<u>Table 2.5-1</u> Enabling Capabilities and Resources Needed to Implement Dissemination of NAS Status Information	93
<u>Table 2.6-1</u> Information Exchange for Dissemination of NAS Status Information Service	99
<u>Table 2.6-2</u> Information Elements: ATM Contributions from DO-241	105
<u>Table 3.4-1</u> Potential Benefits of UPT Flight Planning/Replanning Service During Spiral Development	132
<u>Table 3.5-1</u> Enabling Capabilities and Resources Needed to Implement UPT Flight Planning/Replanning	135
<u>Table 3.6-1</u> Information Exchange – ATN Baseline	139
<u>Table 3.6-2</u> Flight Planning/Replanning Messages Designations	142
<u>Table 4.4-1</u> Potential Benefits Growth in as Spiral Evolution Unfolds	164
<u>Table 4.5-1</u> Enabling Capabilities and Resources Needed to Implement Flexible Arrival and Departure Routing Service	169
<u>Table 4.6-1</u> Information Exchange for Flexible Arrival and Departure Routing Service	176
<u>Table 5.4-1</u> Potential Benefits	201

<u>Table 5.5-1</u>	Enabling Capabilities and Resources Needed to Implement Surface Movement Service.....	206
<u>Table 5.6-1</u>	Information Exchange for Surface Movement	209
<u>Table 6.4-1</u>	Potential Benefits as Spiral Evolution Unfolds – Non-Radar Reduced Separation Service..	224
<u>Table 6.5-1</u>	Enabling Capabilities and Resources Needed to Implement Reduced Separation in Non-Radar Service	226
<u>Table 6.6-1</u>	Information Exchange for Non-Radar Reduced Separation Service	230
<u>Table 6.6-2</u>	New CPDLC Messages	232
<u>Table 7.4-1</u>	Potential Benefits as Spiral Evolution Unfolds – Reduced Separation Service in Radar Environment	243
<u>Table 7.5-1</u>	Enabling Capabilities and Resources to Implement Reduced Separation Service in Radar Environment	245
<u>Table 7.6-1</u>	Information Exchange for Reduced Separation Service in Radar Environment	249
<u>Table 8.4-1</u>	Potential Benefits Growth as Spiral Evolution Unfolds Automatic Voice Frequency Change Service	265
<u>Table 8.5-1</u>	Enabling Capabilities and Resources – Automatic Voice Frequency Change Service	267
<u>Table 8.6-1</u>	Information Exchange for Automatic Voice Frequency Change Service	272
<u>Table 9.4-1</u>	Potential Benefits Growth as Spiral Evolution Unfolds in the Emergency Alerting Notification Service.....	282
<u>Table 9.5-1</u>	Enabling Capabilities and Resources – Emergency Alerting Notification Service.....	284
<u>Table 9.6-1</u>	Information Exchange for Emergency Alerting Notification Service	287
<u>Table 9.6-2</u>	Emergency Alerting Notification Service Message Designations.....	290
<u>Table 9.8-1</u>	Spiral Development of Integrated Services as a Function of ADL Message Sets.....	293

PART III: Conclusions and Recommendations

<u>Table 1.4-1</u>	Build I/IA Messages for ADL Integrated Services.....	299
<u>Table 1.4-2</u>	Baseline 1 (Additional), Baseline 2, ADS, AIDC, and FIS Messages	300
<u>Table 1.4-3</u>	Other Messages: ADS-B, TIS-B, and New Age Flight Plan	311
<u>Table 1.4-4</u>	New Messages Beyond Baseline 2 – CPDLC and ADS	312

Appendix C – Roll-Up of Messages Tables

<u>Table C-1.4-1</u>	Uplink Messages.....	C-1
<u>Table C-1.4-2</u>	Downlink Messages.....	C-7
<u>Table C-1.4-3</u>	ADS Messages.....	C-10
<u>Table C-1.4-4</u>	Other Messages.....	C-12

This page intentionally left blank.

PART I: OVERVIEW OF ADL INTEGRATED SERVICES

1.0 INTRODUCTION

1.1 Purpose and Scope

The purpose of this document is to define, describe, and recommend future Air Traffic Management (ATM) service concepts, enabled by the Aeronautical Data Link System (ADLS), that may enhance overall aviation operational efficiency through the integration of ATM, Aeronautical Operational Control (AOC), and flight deck (FD) automation. These “Integrated Services” are limited, in scope, to those services that leverage air-ground addressed datalink capabilities from preflight planning through gate-to-gate flight operations. Several of these “Integrated Services” contain concepts, such as airborne self-separation, delegated separation responsibility, and reduced separation standards, which have yet to be determined to be feasible to implement within the National Airspace System (NAS). The goal is to achieve synergistic benefits through the integration of ATM, FD, and AOC capabilities. Each service is presented in spiral stages of evolution with an emphasis on the mechanisms for achieving qualitative benefits.

One objective of this document is to define the elements needed to enable these Integrated Services. This includes possible datalink requirements for the U.S. Federal Aviation Administration’s (FAA’s) implementation of the Aeronautical Telecommunications Network (ATN) known as Aeronautical Data Link System (ADLS) Build II. The emphasis in this document is on recommended messages to be included within ADLS Build II that are needed to support the Integrated Services. Other enabling capabilities include flight deck, ATM, and AOC decision support systems as well as supporting Communications, Navigation, and Surveillance (CNS) technologies. While this document focuses on the services that use addressed ADL, other communication means that are considered as enabling capabilities are also contained in the detailed information flow sections for each service.

Another objective is to identify the critical path issues (programmatic, technical feasibility and operational viability) that must be addressed to by the R&D community to validate these service concepts. As these concepts feed into research and validation activities for the FAA, NASA and other stakeholders, they may provide a path from consensus on future implementations. These concepts, once matured through the research process, should be considered for integration into future development of ADLS. This is intended to help organizations identify their priorities, define their work programs, and prepare their business cases and mission needs statements in order to facilitate the development and implementation of ADLS and enabling capabilities to achieve these Integrated Services.

1.2 Intended Audience

This document is intended for National Airspace System (NAS) stakeholders. This encompasses all NAS users (air carrier, general aviation [GA], military, etc.), service providers (air traffic, controllers, specialists, etc.), manufacturers (avionics, airframe, etc.), the supporting research and development community and standards organizations.

1.3 Approach

The approach taken in the definition of Integrated Services is to first define the operational problems that need to be addressed and then formulate operational concepts that can solve the problems. This approach formulates “Integrated Service” solutions for