

RTCA, Incorporated
1140 Connecticut Ave., N. W., Suite 1020
Washington, DC 20036-4001

**MINIMUM OPERATIONAL PERFORMANCE STANDARDS (MOPS)
FOR
AERONAUTICAL TELECOMMUNICATION NETWORK (ATN) AVIONICS**

July 29, 1997
RTCA/DO-240

Prepared by SC-162
© RTCA, Inc. 1997

Copies of this document may be obtained from

RTCA, Inc.
1140 Connecticut Avenue, NW, Suite 1020
Washington, DC 20036-4001 USA

Telephone: 202-833-9339
Facsimile: 202-833-9434
Internet: www.rtca.org

Please call RTCA for price and ordering information.

Foreword

This report was prepared by Special Committee (SC-162) and approved by the RTCA Technical Management Committee (TMC) on July 29, 1997.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This page intentionally left blank.

TABLE OF CONTENTS

1. PURPOSE AND SCOPE.....	1
1.1 Introduction.....	1
1.2 Purpose.....	1
1.3 Scope.....	1
1.4 Relationship to Other Documents.....	3
1.5 How to Use This Document.....	3
1.6 Document Overview.....	3
2. REQUIREMENTS.....	5
2.1 Introduction.....	5
2.2 Functional Requirements.....	5
2.3 Interoperability Requirements.....	6
2.4 Performance Requirements.....	6
2.5 Environmental Requirements.....	8
3. QUALIFICATION.....	9
3.1 Objectives.....	9
3.2 Conformance Testing.....	10
3.3 Interoperability Qualification.....	11
3.4 Performance Testing.....	12
3.4.1 Test Configurations.....	13
3.4.1.1 Configuration 1.....	13
3.4.1.2 Configuration 2.....	14
3.4.1.3 Configuration 3.....	15
3.4.1.4 Configuration 4.....	16
3.4.2 Test Cases.....	17
3.4.2.1 Minimum Number of Packets Processed per Second (MinPps).....	17
3.4.2.1.1 IUT is the Sending End System.....	17
3.4.2.1.2 IUT is the Receiving End System.....	17
3.4.2.1.3 IUT is an Intermediate System.....	18
3.4.2.2 CLNP NPDU Size Supported at Minimum (ClnpNpduSize).....	19
3.4.2.2.1 IUT is the Sending End System.....	19
3.4.2.2.2 IUT is the Receiving End System.....	19
3.4.2.2.3 IUT is the Intermediate System.....	19
3.4.2.3 User Data Size Supported at Minimum (UserDataSize).....	20
3.4.2.3.1 IUT is the Sending End System.....	20
3.4.2.3.2 IUT is the Receiving End System.....	20
3.4.2.4 Time to Update RIBs and FIBs (MaxUpdateTime).....	20
3.4.2.4.1 IUT is an IDRP Boundary Intermediate System (BIS).....	21
3.4.2.4.1.1 New Routes are Added.....	21
3.4.2.4.1.2 Existing Routes are Deleted.....	21
3.4.2.4.1.3 Occurrence of a Leave Event.....	22
3.4.2.4.2 IUT is an ES-IS Level 1 Router.....	22
3.4.2.4.3 IUT is an ES-IS End System.....	23
3.4.2.5 Minimum Number of Routes Supported (MinNumRoutes).....	23
3.4.2.5.1 IUT is a BIS.....	23
3.4.2.5.2 IUT is a BIS as well as an ES-IS Router.....	23
3.4.2.5.3 IUT is an End System.....	24
3.4.2.6 Minimum Number of Ground BISs Supported Concurrently.....	

	(MinGndBISs)	24
	3.4.2.7 Minimum Number of ACSE Associations Supported Concurrently (MinAssocs)	24
	3.4.2.8 Minimum Number of SVCs Supported Concurrently (MinSVCs)	24
3.5	System Testing.....	24
	3.5.1 Integration in the End System Computer.....	25
	3.5.2 Integration with Other Software	25
	3.5.3 Integration with Other Avionics	25
	3.5.4 Network Integration	25
	RTCA Special Committee 162 Membership	27

APPENDICES

Appendix A	OSI Testing
Appendix B	Glossary/Acronyms
Appendix C	Derivation of Performance Requirements

TABLE OF FIGURES

Figure 1-1	Scope of the ATN Avionics MOPS.....	2
Figure 3-1	Typical Configuration for OSI Conformance Testing.	11
Figure 3-2	Test Network Topology 1.....	13
Figure 3-3	Test Network Topology 2.....	14
Figure 3-4	Test Network Topology 3.....	15
Figure 3-5	Test Network Topology 4.....	16
Figure A-1	ACSE test suite structure (source: ISO/IEC 10169 1:1991).....	A-3
Figure A-2	OSI Conformance Testing Process	A-4

TABLE OF TABLES

Table 2-1	Minimum Performance Requirements for Avionics Intermediate System and End System	6
Table C-1	Data Link Traffic Model Projected for Year 2015 - Per Aircraft.....	C-1
Table C-2	Projected Number of Data Link Equipped Aircraft	C-2

1. PURPOSE AND SCOPE

1.1 INTRODUCTION

The international aviation community is planning to use distributed data applications to:

1. deliver Air Traffic Services (ATS) to aircraft,
2. exchange air traffic management information between fixed-based ATS facilities on the ground, and
3. control the movement of aircraft and vehicles operating on airport surfaces.

Such capabilities are to be realized as separate application processes (APs) resident in computers installed in aircraft, in fixed-based facilities, and in other mobile vehicles. Additional applications such as Aeronautical Operational Control (AOC) and Airline Administrative Communication (AAC) may be distributed to applications using an Aeronautical Telecommunication Network (ATN) router. These applications are permitted as long as they do not adversely affect the satisfaction of requirements for applications involving safety and regularity of flight.

To maximize the opportunities for interoperability between such a diverse collection of computers and resident APs, it is necessary to base their interactions on a family of standard data communication protocols and application specific standards. The family of protocols selected for this purpose have come from a much larger library of standards administered by the International Organization for Standardization (ISO). The profiling of these standards for use by the various civil aviation authorities worldwide was initiated jointly by the Airlines Electronic Engineering Committee (AEEC), RTCA, Inc. and other bodies for civil aviation. Many of the responsibilities of these organizations with regard to defining standards concerning the delivery of Air Traffic Services (ATS) and Flight Information Services (FIS) have since been assumed by the International Civil Aviation Organization (ICAO).

The resulting data communications architecture is designed to facilitate the gradual implementation of a worldwide network referred to as the Aeronautical Telecommunication Network (ATN).

1.2 Purpose

The purpose of this document is to provide MOPS for ATN functions for aircraft systems and equipment to show that the function performs as intended and not produce unacceptable risks through their various failure modes. These standards are in the form of:

1. Performance requirements for ATN functions.
2. Qualification criteria for demonstrating those performance requirements
3. Descriptions of the evidence that indicate that the performance objectives have been satisfied.

1.3 Scope

The scope of this MOPS concentrates on ATN communications services embedded in systems and equipment used on aircraft, as specified in the ATN SARPs. This document does not provide MOPS for subnetworks, ATN application entities, or for other parts of the data network that are external to the aircraft. [Figure 1-1](#) shows sections of the ATN SARPs, illustrating the relationship of the ATN communications services to the remainder of the ATN.