

RTCA, Inc.  
1140 Connecticut Avenue, NW, Suite 1020  
Washington, DC 20036-4001 USA

**Audio Systems Characteristics and  
Minimum Operational Performance Standards  
(MOPS) for Aircraft Audio Systems and  
Equipment**

RTCA DO-214  
March 2, 1993

Prepared by: SC-164  
© 1993 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-833-9339

Facsimile: 202-833-9434

Internet: [www.rtca.org](http://www.rtca.org)

Please visit the RTCA Online Store for document pricing and ordering information.

## FOREWORD

This document was prepared by RTCA Special Committee 164 (SC-164). It was approved by the RTCA Technical Management Committee on March 2, 1993 and supersedes RTCA/DO-170, *Audio System Characteristics and Minimum Performance Standards, Aircraft Microphones (Except Carbon), Aircraft Headsets and Speakers, Aircraft Audio Selector Panels and Amplifiers.*

RTCA, Inc., is an association of aeronautical organizations of the United States from both government and industry. Dedicated to the advancement of aeronautics, RTCA seeks sound technical solutions to problems involving the application of electronics and telecommunications to aeronautical operations. Its objective is the resolution of such problems by mutual agreement of its member organizations. The findings of RTCA are in the nature of recommendations to all organizations concerned. Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U. S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

**This Page Intentionally Left Blank**

# TABLE OF CONTENTS

	<u>Page</u>
FOREWORD .....	i
TABLE OF CONTENTS .....	iii
1.0 PURPOSE AND SCOPE .....	1
1.1 Introduction .....	1
1.2 Background .....	2
1.2.1 Noise .....	2
1.2.1.1 Ambient Noise .....	2
1.2.1.2 Circuit Noise .....	3
1.2.2 Communicator Practices .....	4
1.2.3 Audio Response .....	4
1.2.4 Articulation Index .....	5
1.2.4.1 Rapid Speech Transmission Index .....	5
1.2.5 Absolute (Envelope) Delay .....	6
1.2.6 Differential Delay .....	6
1.2.7 Overdrive .....	6
1.2.8 Intermodulation Distortion .....	7
1.3 System Overview .....	7
1.3.1 Control of Microphone Input and Output Signals .....	7
1.3.1.1 Speech Level Improvement Measures .....	7
1.3.1.2 Noise Reduction Measures .....	8
1.3.1.3 Low Frequency De-emphasis .....	9
1.3.1.4 Automatic Gain Control .....	9
1.3.2 Cockpit Voice Recorder (CVR) Area Microphones .....	9
1.3.2.1 Location Considerations .....	9
1.3.2.2 Shielding Considerations .....	10
1.3.2.3 Polarity .....	10
1.3.3 Control of Received Audio Signals .....	10
1.3.3.1 Output Level Controls .....	10
1.3.3.2 Headsets .....	10
1.3.3.3 Loudspeakers .....	11
1.3.4 Analysis of Problems and Possible Improvement Measures .....	11
1.3.5 Long-Term Improvements .....	13
1.3.5.1 Ambient Noise — Aircraft .....	13
1.3.5.2 Ambient Noise — Ground Stations .....	13
1.3.5.3 Control of Communicator Practices .....	13
1.3.5.4 Hearing Damage Risk .....	14
1.4 System Characteristics — General .....	14
1.4.1 Automatic Gain Control and Compression .....	14
1.4.2 Sidetone Level Control .....	16
1.4.3 Transmission Bandwidth .....	17
1.4.4 Reduction of Distortion .....	19

	<u>Page</u>
1.5	Audio Systems Interface Goals . . . . . 19
1.5.1	General Notes . . . . . 19
1.5.2	Microphone Input Circuits . . . . . 22
1.5.3	Microphone Emulation Output . . . . . 22
1.5.4	PA, Receiver, and Interphone Outputs to Audio System . . . . . 23
1.5.5	Interphone, Headphone and Handset Amplifier Outputs from Audio System . . . . . 23
1.5.6	Audio Selector Panel and Audio Control Panel/Audio Management Unit Input . . . . . 24
1.5.7	CVR Output from Audio System . . . . . 24
1.5.8	. . . . . 25
1.5.9	Speaker Output from Audio System . . . . . 25
1.6	Assumptions . . . . . 25
1.7	Software Considerations . . . . . 25
1.8	Test Procedures . . . . . 26
1.9	Definitions of Terms . . . . . 27
2.0	EQUIPMENT PERFORMANCE REQUIREMENTS AND TEST PROCEDURES . 35
2.1.1	Airworthiness . . . . . 35
2.1.2	Intended Function . . . . . 35
2.1.3	Federal Communications Commission Rules . . . . . 35
2.1.4	Fire Protection . . . . . 35
2.1.5	Operation of Controls . . . . . 35
2.1.6	Accessibility of Controls . . . . . 35
2.1.7	Effects of Test . . . . . 36
2.1.8	Applicability of Tests to Equipment . . . . . 36
2.1.9	Test Equipment . . . . . 36
2.2	Performance Requirements — Aircraft Microphones (Except for Carbon) . . 38
2.2.1	Frequency Response . . . . . 38
2.2.1.1	Microphones, Except CVR Area Microphones . . . . . 38
2.2.1.2	Cockpit Voice Recorder (CVR) Area Microphone . . . . . 38
2.2.2	Distortion . . . . . 38
2.2.2.1	Microphones, Except CVR Area Microphones . . . . . 38
2.2.2.2	CVR Area Microphones . . . . . 38
2.2.3	Sensitivity . . . . . 38
2.2.3.1	Microphones, Except CVR Area Microphones . . . . . 38
2.2.3.2	Cockpit Voice Recorder (CVR) Area Microphones . . . . . 40
2.2.4	Noise Level — Microphones, Except CVR Area Microphones . . . . . 40
2.2.5	Polar Response (CVR Area Microphones) . . . . . 40
2.2.6	CVR Microphone Polarity . . . . . 40
2.2.7	Insulation Resistance . . . . . 40
2.2.8	Microphone Cord . . . . . 40
2.2.8.1	Cord Flexibility . . . . . 41
2.2.8.2	Cord/Connector Flexibility . . . . . 41
2.2.8.3	Cord/Connector Pull-Out . . . . . 41
2.2.9	Push-to-Talk Switch . . . . . 41
2.2.10	Microphone Drop Resistance — Except CVR Area Microphones . . 41

	<u>Page</u>	
2.2.11	Headset/Handset Isolation . . . . .	41
2.3	Performance Requirements — Aircraft Headsets, Handsets and Loudspeakers . . . . .	42
2.3.1	Frequency Response . . . . .	42
	2.3.1.1 Headsets and Handsets . . . . .	42
	2.3.1.2 Loudspeakers . . . . .	42
2.3.2	Distortion . . . . .	42
	2.3.2.1 Headsets and Handsets . . . . .	42
	2.3.2.2 Loudspeakers . . . . .	42
2.3.3	Sensitivity . . . . .	42
	2.3.3.1 Headsets and Handsets . . . . .	42
	2.3.3.2 Loudspeakers . . . . .	43
2.3.4	Impedance . . . . .	43
	2.3.4.1 Headsets and Handsets . . . . .	43
	2.3.4.2 Loudspeakers . . . . .	43
2.3.5	Overload . . . . .	43
	2.3.5.1 Headsets and Handsets . . . . .	43
	2.3.5.2 Loudspeakers . . . . .	43
2.3.6	Power Handling Rating (Loudspeakers) . . . . .	44
2.3.7	Insulation Resistance . . . . .	44
2.3.8	Headset and Handset Cord . . . . .	44
	2.3.8.1 Evidence of Damage . . . . .	44
	2.3.8.2 Cord Flexibility . . . . .	44
	2.3.8.3 Cord/Connector Flexibility . . . . .	44
	2.3.8.4 Cord/Connector Pull-Out . . . . .	44
2.3.9	Headset or Handset Drop Resistance . . . . .	45
2.3.10	Acoustic Quality . . . . .	45
2.3.11	Speaker Polarity . . . . .	45
2.3.12	Headsets and Handsets with Active Circuits . . . . .	45
2.4	Performance Requirements — Audio System . . . . .	46
2.4.1	Rated Output Power . . . . .	46
2.4.2	Audio Frequency Characteristics . . . . .	46
	2.4.2.1 Audio Frequency Response . . . . .	46
	2.4.2.2 Spurious Responses . . . . .	46
2.4.3	Distortion Characteristics . . . . .	46
2.4.4	Impedance Characteristics . . . . .	47
	2.4.4.1 Input Impedance . . . . .	47
	2.4.4.2 Output Impedance . . . . .	47
2.4.5	Volume Controls . . . . .	47
2.4.6	Output Regulation . . . . .	47
2.4.7	Coupling Between Audio Circuits — Crosstalk . . . . .	48
	2.4.7.1 Input to Output Crosstalk and Bleed-Through Levels . . . . .	48
	2.4.7.2 Input-to-Input Crosstalk Level . . . . .	48
	2.4.7.3 Station-to-Station Crosstalk Level . . . . .	48
	2.4.7.4 Input-to-Microphone Output Crosstalk . . . . .	48
2.4.8	Compression . . . . .	49
2.4.9	Stability and Short Circuit . . . . .	49

	<u>Page</u>	
2.4.10	Intermodulation Distortion . . . . .	49
2.4.11	Audio Noise Level . . . . .	49
	2.4.11.1 Audio Noise Without Signal . . . . .	49
	2.4.11.2 Signal Plus Noise Degradation . . . . .	49
2.4.12	System Polarity (non-delay phase inversion) . . . . .	49
2.4.13	Delays . . . . .	50
	2.4.13.1 Absolute (Envelope) Delay . . . . .	50
	2.4.13.2 Differential Delay . . . . .	50
2.4.14	Overdrive . . . . .	50
	2.4.14.1 Input Overdrive . . . . .	50
	2.4.14.2 Output Overdrive . . . . .	50
	2.4.14.3 Transient Recovery . . . . .	50
2.4.15	Listening Test . . . . .	50
2.5	Equipment Performance — Environmental Conditions . . . . .	51
2.5.1	Temperature and Altitude Tests . . . . .	51
	2.5.1.1 Ground Survival Low-Temperature Test and Operating Low-Temperature Test . . . . .	53
	2.5.1.2 Ground Survival High-Temperature Test and Short-Time Operating High- Temperature Test . . . . .	54
	2.5.1.3 Operating High-temperature Test . . . . .	55
	2.5.1.4 Altitude Tests . . . . .	57
	2.5.1.5 Decompression Test . . . . .	58
	2.5.1.6 Overpressure Test . . . . .	58
2.5.2	Temperature Variation Test . . . . .	59
2.5.3	Humidity Test . . . . .	60
2.5.4	Shock Tests . . . . .	61
	2.5.4.1 Operational Shocks . . . . .	61
	2.5.4.2 Crash Safety Shocks . . . . .	62
2.5.5	Vibration Tests . . . . .	63
2.5.6	Magnetic Effect Test . . . . .	63
2.5.7	Power Input Tests . . . . .	64
	2.5.7.1 Normal Operating Conditions . . . . .	64
	2.5.7.2 Abnormal Operating Conditions . . . . .	65
2.5.8	Voltage Spike Conducted Test . . . . .	66
	2.5.8.1 Category A Requirements . . . . .	66
	2.5.8.2 Category B Requirements, "Intermittent Transients" . . . . .	67
	2.5.8.3 Category B Requirements, "Repetitive Transients" . . . . .	67
2.5.9	Audio Frequency Conducted Susceptibility Test . . . . .	68
2.5.10	Induced Signal Susceptibility Test . . . . .	68
2.5.11	Radio Frequency Susceptibility Test (Radiated and Conducted) . . . . .	69
	2.5.11.1 Transient RF Test (Radiated and Conducted) . . . . .	69
	2.5.11.2 Sustained Ambient RF Test (Radiated and Conducted) . . . . .	70
2.5.12	Emission of Radio Frequency Energy Test . . . . .	71
2.5.13	Lightning Induced Transient Susceptibility Test . . . . .	71
2.5.14	Final Distortion Test . . . . .	72
2.5.15	Push-to-Talk Switch Life . . . . .	72
2.6	Test Procedures — Aircraft Microphones	

	<u>Page</u>
2.6.1 Conditions of Test . . . . .	73
2.6.2 Detailed Test Procedures . . . . .	73
2.6.2.1 Near Field Sensitivity and Frequency Response — Microphones (Except CVR Area Microphones) . . . . .	73
2.6.2.2 Frequency Response — CVR Area Microphones . . . . .	74
2.6.2.3 Distortion Measurement — Microphones (Except CVR Area Microphones) . . . . .	77
2.6.2.4 Distortion Measurements — CVR Area Microphones . . .	77
2.6.2.5 Noise Level — Microphones (Except CVR Area Microphones) . . . . .	78
2.6.2.6 Polar Diagram — CVR Area Microphone . . . . .	78
2.6.2.7 Cord/Connector Flexibility Test . . . . .	79
2.6.2.8 Cord/Connector Pull-Out . . . . .	79
2.6.2.9 Push-to-Talk Switch Life . . . . .	79
2.6.2.10 Isolation — Headsets and Handsets . . . . .	80
2.7 Test Procedures — Aircraft Headsets, Handsets and Loudspeakers . . . . .	81
2.7.1 Conditions of Test . . . . .	81
2.7.2 Detailed Test Procedures . . . . .	82
2.7.2.1 Sensitivity, Frequency Response and Distortion — Head- sets and Handsets . . . . .	83
2.7.2.2 Sensitivity, Frequency Response and Distortion — Loud- speakers . . . . .	85
2.7.2.3 Acoustic Quality . . . . .	87
2.8 Test Procedures — Audio System . . . . .	89
2.8.1 Conditions of Test . . . . .	89
2.8.2 Detailed Test Procedures . . . . .	89
2.8.2.1 Rated Output Power . . . . .	90
2.8.2.2 Audio Frequency Characteristics . . . . .	90
2.8.2.2.1 Audio Frequency Response . . . . .	92
2.8.2.2.2 Spurious Responses . . . . .	92
2.8.2.3 Distortion Characteristics . . . . .	92
2.8.2.4 Impedance Characteristics . . . . .	93
2.8.2.4.1 Input Impedance . . . . .	93
2.8.2.4.2 Output Impedance . . . . .	93
2.8.2.5 Volume Controls . . . . .	95
2.8.2.6 Output Regulation . . . . .	96
2.8.2.7 Crosstalk . . . . .	96
2.8.2.7.1 Input-to-Output Crosstalk and Bleed-Through Levels . . . . .	96
2.8.2.7.2 Input-to-Input Crosstalk . . . . .	98
2.8.2.7.3 Station-to-Station Crosstalk . . . . .	98
2.8.2.7.4 Input-to-Microphone Output Crosstalk . . . . .	98
2.8.2.8 Amplifiers with Compression . . . . .	99
2.8.2.9 Stability and Short Circuit . . . . .	99
2.8.2.10 Intermodulation Distortion . . . . .	100
2.8.2.11 Noise . . . . .	100
2.8.2.11.1 Audio Noise Without Signal . . . . .	100

	<u>Page</u>
2.8.2.11.2	Signal Plus Noise Degradation . . . . . 101
2.8.2.12	System Polarity . . . . . 101
2.8.2.13	Delays . . . . . 101
2.8.2.13.1	Absolute Delay . . . . . 101
2.8.2.13.2	Differential Delay . . . . . 101
2.8.2.14	Overdrive . . . . . 102
2.8.2.14.1	Input Overdrive . . . . . 102
2.8.2.14.2	Output Overdrive . . . . . 102
2.8.2.14.3	Transient Recovery . . . . . 102
2.8.2.14.4	Listening Test . . . . . 103
<b>3.0</b>	<b>INSTALLED EQUIPMENT PERFORMANCE . . . . . 105</b>
3.1	Equipment Installation . . . . . 105
3.1.1	Accessibility . . . . . 105
3.1.2	Aircraft Environment . . . . . 105
3.1.3	Display Visibility . . . . . 105
3.1.4	Dynamic Response . . . . . 105
3.1.5	Failure Protection . . . . . 105
3.1.6	Interference Effects . . . . . 106
3.1.7	Inadvertent Turnoff . . . . . 106
3.1.8	Aircraft Power Source . . . . . 106
3.2	Installed Equipment Performance Requirements . . . . . 106
3.3	Conditions of Test . . . . . 106
3.3.1	Power Input . . . . . 106
3.3.2	Associated Equipment or Systems . . . . . 107
3.3.3	Environment . . . . . 107
3.3.4	Adjustment of Equipment . . . . . 107
3.3.5	Warm-up Period . . . . . 107
3.4	Test Procedures for Installed Equipment Performance . . . . . 107
3.4.1	Ground Test Procedures . . . . . 107
3.4.1.1	Conformity Inspection . . . . . 107
3.4.1.2	Equipment Function . . . . . 108
3.4.1.3	Interference Effects . . . . . 108
3.4.1.4	Power Supply Fluctuations . . . . . 108
3.4.2	Aircraft System Communications Testing . . . . . 108
3.4.2.1	Spurious Output Signals . . . . . 108
3.4.2.2	Spurious Input Signals . . . . . 109
3.4.2.3	Radio Generated Response . . . . . 109
3.4.2.3.1	Radio Output Spurious Levels . . . . . 109
<b>4.0</b>	<b>EQUIPMENT OPERATIONAL PERFORMANCE CHARACTERISTICS . . . . . 111</b>
4.1	Required Operational Performance Requirements . . . . . 111
4.1.1	Power Input . . . . . 111
4.1.2	Equipment Operating Modes . . . . . 111
4.2	Test Procedures for Operational Performance Requirements . . . . . 111
4.2.1	Power Input . . . . . 111
4.2.2	Equipment Operating Modes . . . . . 111

	<u>Page</u>
4.2.3 Noise-Attenuating Headsets .....	111
4.2.4 Self Test .....	112
<b>MEMBERSHIP .....</b>	<b>113</b>
<b>APPENDIX A</b>	<b>The Level of Audible Noise in Aircraft at the Pilot's Position</b>
<b>APPENDIX B</b>	<b>Discussion on the Determination of Intelligibility, Articulation Index, and Speech Interference Levels</b>
<b>APPENDIX C</b>	<b>Noise Cancellation in Microphones</b>
<b>APPENDIX D</b>	<b>Active Noise Reduction Handsets</b>
<b>APPENDIX E</b>	<b>Couplers</b>
<b>APPENDIX F</b>	<b>References</b>

**This Page Intentionally Left Blank**

---

## **1.0 PURPOSE AND SCOPE**

### **1.1 Introduction**

This document contains audio systems characteristics and minimum operational performance standards for aircraft microphones (except carbon), headsets, handsets, speakers, audio selector panels (ASP) and amplifiers. These standards specify system characteristics that should be useful to designers, manufacturers, installers and users of the equipment.

Compliance with these standards is recommended as one means of assuring that the equipment will perform its intended function(s) satisfactorily under all conditions normally encountered in routine aeronautical operations. Any regulatory application of this document is the sole responsibility of appropriate governmental agencies.

Section 1.0 of this document provides information needed to understand the rationale for equipment characteristics and requirements stated in the remaining sections. It describes typical equipment applications and operational goals and establishes the basis for standards stated in Section 2.0 through 4.0. Definitions and assumptions essential to the proper understanding of this document are also provided in this section.

Section 2.0 contains the minimum performance standards for the equipment. These standards specify the required performance under standard, operational, and environmental conditions. Also included are recommended bench test procedures necessary to demonstrate equipment compliance with the stated minimum requirements.

Section 3.0 describes the performance required of the installed equipment. Tests for the installed equipment are included when performance cannot be adequately determined through bench testing.

Section 4.0 describes the operational performance characteristics for equipment installations and defines conditions that will assure the equipment user that operations can be conducted safely and reliably in the expected operational environment.

The word "equipment" as used in this document includes all components or units necessary to properly perform the intended function(s). Since the measured values of equipment performance may be a function of the measurement method, standard test conditions and methods of test are recommended.

Consideration was given to the overall system characteristics that affect the intelligibility of air-ground speech communication. This included, to the extent