

PD ISO/TS 21929-2:2015



BSI Standards Publication

Sustainability in building construction — Sustainability indicators

Part 2: Framework for the development of indicators for civil engineering works

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of ISO/TS 21929-2:2015.

The UK participation in its preparation was entrusted to Technical Committee B/558, Sustainability of construction works.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.

Published by BSI Standards Limited 2015

ISBN 978 0 580 84507 9

ICS 91.040.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

**Sustainability in building
construction — Sustainability
indicators —**

Part 2:
**Framework for the development of
indicators for civil engineering works**

*Développement durable dans la construction — Indicateurs de
développement durable —*

*Partie 2: Cadre pour le développement d'indicateurs pour les ouvrages
de génie civil*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 General rules for sustainability indicators development and its framework	8
4.1 General.....	8
4.2 Life cycle approach.....	9
4.3 Area of influence.....	10
4.4 Civil engineering works typologies.....	10
4.5 Relationship to ISO 15392 and other general principles.....	10
4.5.1 Relation to ISO 15392.....	10
4.5.2 Relation to ISO 14000- series.....	11
4.5.3 Relation to ISO 26000.....	12
4.6 Requirements for the development of indicators.....	12
4.7 Framework of sustainability indicators.....	13
4.7.1 General.....	13
4.7.2 Aspects for the development of environmental indicators.....	14
4.7.3 Aspects for the development of economic indicators.....	15
4.7.4 Aspects for the development of social indicators.....	16
5 Sustainability issues of concern	17
5.1 General.....	17
5.1.1 Use of energy resources.....	19
5.1.2 Use of material resources.....	19
5.1.3 Management of waste.....	19
5.1.4 Use of water.....	20
5.1.5 Land use changes.....	20
5.1.6 Emissions to local environment (air, soil and water).....	20
5.1.7 Noise and vibrations.....	22
5.1.8 Ecosystem processes and services.....	23
5.1.9 Landscape changes.....	23
5.1.10 Global warming potential, GWP (emissions to air).....	23
5.1.11 Ozone depletion potential, ODP (emissions to air).....	24
5.1.12 Eutrophication potential, EP (emissions to water).....	24
5.1.13 Acidification potential, AP (emissions to soil or water).....	25
5.1.14 Photochemical ozone creation potential, POCP (emissions to air).....	25
5.1.15 External costs.....	25
5.1.16 Life cycle costs.....	26
5.1.17 Access to nature.....	26
5.1.18 Population system.....	27
5.1.19 Job creation.....	27
5.1.20 Cultural heritage elements.....	27
5.1.21 Social inclusion and acceptability.....	28
5.1.22 Risks and resilience.....	28
5.1.23 Health and comfort.....	28

6	Development of a system of sustainability indicators	28
6.1	General.....	28
6.2	Requirements for developing a system of indicators	29
6.3	Usability of sustainability indicators	30
6.4	Users of indicators.....	30
6.4.1	General.....	30
6.4.2	Public bodies and policy makers	31
6.4.3	Investors, owners, promoters and facility managers.....	31
6.4.4	Non-governmental organizations (considering interest groups both at national and at local level).....	31
6.4.5	Planners, developers and designers	31
6.4.6	Manufacturers of products.....	31
6.4.7	Contractors.....	31
6.4.8	Operators and maintainers.....	31
6.4.9	Users and people who are given service by the infrastructure	31
6.4.10	Nearby local residents.....	32
	Bibliography	33

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 59, *Buildings and civil engineering works*, SC 17, *Sustainability in buildings and civil engineering works*.

ISO 21929 consists of the following parts, under the general title Sustainability in buildings and civil engineering works — Sustainability indicators:

- *Part 1: Framework for the development of indicators and a core set of indicators for buildings*
- *Part 2: Framework for the development of indicators for civil engineering works* [Technical Specification]

Introduction

This part of ISO 21929 describes and gives guidelines for the development of sustainability indicators related to civil engineering works and defines the aspects and impacts of civil engineering works to consider when developing systems of sustainability indicators.

These guidelines form a basis for the suite of ISO/TC 59/SC 17 standards intended to address specific issues and aspects of sustainability relevant to construction works. The issue of sustainable development is broad and of global concern, and, as such, involves all communities and interested parties. Both current and future needs define the extent to which economic, environmental and social aspects are considered in a sustainable development process.

The built environment (buildings and civil engineering works) is a key element in determining quality of life, and contributes to cultural identity and heritage. As such, it is an important factor in the appreciation of the quality of the environment in which society lives and works.

The building and construction sector is highly important for sustainable development because:

- it is a key sector in national economies.
- it has a significant interface with poverty reduction through the provision of improved basic economic and social services within the built environment.
- it is one of the single largest industrial sectors and, while providing value and employment, it uses considerable resources and contributes to the transformation of areas, with consequential impacts on economic and social conditions and the environment.
- it creates the built environment, which represents a significant share of the economic assets of individuals, organizations and nations, providing societies with their physical and functional environment.
- it has considerable opportunity to show improvement relative to its economic, environmental and social impacts.

While the challenge of sustainable development is global, the strategies for addressing sustainability in civil engineering works are essentially local and differ in context and content from region to region. These strategies reflect the context, the preconditions and the priorities and needs, not only in the built environment, but also in the social environment. This social environment includes social equity, cultural issues, traditions, heritage issues, human health and comfort, social infrastructure and safe and healthy environments.

It can, in addition, particularly in developing countries, include poverty reduction, job creation, access to safe, affordable and healthy shelter, and loss of livelihoods.

This part of ISO 21929 defines a framework for the development of sustainability indicators for civil engineering works based on the premise that civil engineering works contribute to sustainable development about the required performance and functionality with minimum adverse environmental impact, while encouraging improvements in economic and social (and cultural) aspects at local, regional and global levels.

This part of ISO 21929 follows the general principles presented in ISO 15392.

Indicators are figures or other qualitative or descriptive measures that enable information on a complex phenomenon, like environmental impact, to be simplified into a form that is relatively easy to use and understand.

The three main functions of indicators are quantification, simplification and communication. Targets can also be set with the help of indicators. Changes in a civil engineering works over time and the development of changes in relation to stated objectives can be monitored with the help of indicators. One of the important functions of an indicator with reference to decision-making is its potential to show a trend.

When developing and selecting indicators, the starting point is the identification of the main users and user needs. Sustainability indicators for civil engineering works are needed in decision-making by a number of interested parties, such as

- a) public bodies and policy makers,
- b) investors, owners and promoters,
- c) planners, developers and designers,
- d) governmental and non-governmental organizations (considering interest groups both at national and at local level),
- e) manufacturers of products,
- f) contractors,
- g) operators and maintainers,
- h) users and other stakeholders who are given service by the infrastructure, and
- i) nearby local residents.

The civil engineering and construction sector needs sustainability indicators both for its own decision-making within design, production and management as well as for indicating to the public and to clients the economic, environmental or social impact of civil engineering works, their products and related processes.

Indicators, as well as sets and systems of indicators, for the specification, assessment and representation of the contribution of a civil engineering works to sustainable development can be used in many different ways. For example, among others, their application can support the following:

- design and decision making process(es) during the planning, and design stage of a civil engineering works (e.g. incorporation in the design of sustainable material, technologies, processes and other components).
- development and application of assessment methods and certification systems.
- specification and verification of environmental and social requirements in the context of procurement.
- indicating the civil engineering performance (e.g. marketing).
- measuring, monitoring or evaluating the performance and achievement of sustainability objectives over the different life cycle stages of the civil engineering works.
- accepting responsibility for impacts on the environment and the society.
- representation of activities and results in the context of responsibility towards
- the economy, environment and society (e.g. sustainable development reporting).

NOTE The monitoring and evaluation of objectives can contribute to the continual improvement related to a specific or group of civil engineering works.

This part of ISO 21929 is one in a suite of International Standards dealing with sustainability in buildings and civil engineering works, which includes ISO 15392, ISO 21929-1, ISO 21930, ISO 21931-1, along with the terminology of sustainability in buildings and civil engineering works (ISO/TR 21932).

The relationship among the International Standards is shown in [Figure 1](#).




Figure 1 — Suite of related International Standards for sustainability in buildings and civil engineering works

Sustainability in building construction — Sustainability indicators —

Part 2: Framework for the development of indicators for civil engineering works

1 Scope

This part of ISO 21929 establishes a list of aspects and impacts which should be taken as the basis for the development of sustainability indicators for assessing the sustainability performance of new or existing civil engineering works, related to their design, construction, operation, maintenance, refurbishment and end-of-life. Together, the indicators developed from this list of aspects and impacts provide measures to express the contribution of a civil engineering works to sustainability and sustainable development. The developed indicators should represent aspects of civil engineering works that impact on issues of concern related to sustainability and sustainable development.

The object of consideration in this part of ISO 21929 is a civil engineering works, a part of the civil engineering works or a combination of several civil engineering works.

NOTE The aspects and impacts described in this part of ISO 21929 are intended to be used for all types of civil engineering works. Development of specific sets of indicators for different typologies of civil engineering works (industrial processes infrastructures; linear infrastructures; dams and other fluvial works; maritime works; public spaces; other civil engineering works-not contained in the previous typologies) will be the subject of future standardization work.

This part of ISO 21929

- adapts general sustainability principles for civil engineering works,
- includes a framework for developing sustainability indicators for use in the assessment of economic, environmental and social impacts of civil engineering works,
- establishes a core set of aspects and impacts, which should be taken into account, when developing systems of indicators for civil engineering works,
- describes how to use sustainability indicators with regard to civil engineering works, and
- gives rules for establishing a system of indicators.

This part of ISO 21929 follows the principles set out in ISO 15392 and, where appropriate, is intended to be used in conjunction with, and following the principles set out in, ISO 26000, ISO 14040 and the family of International Standards that includes ISO 14020, ISO 14021, ISO 14024 and ISO 14025. Where deviation occurs or where more specific requirements are stated, this part of ISO 21929 takes precedence.

This part of ISO 21929 does not give guidelines for the weighting of indicators or the aggregation of assessment results.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.